




The VIKING advantage

THE SOURCE FOR  
**OFFSHORE**  
SAFETY SOLUTIONS

# The VIKING Offshore Safety Catalogue



VIKING LIFE-SAVING EQUIPMENT





**The VIKING advantage**

# Welcome to the

**Life-saving equipment is serious business**

To choose the right equipment at the outset all aspects have to be considered – from design to maintenance. For when it comes to life-saving equipment for offshore installations, the advice you get is just as important as the products.



# VIKING advantage

## **We make sure you get what you need**

Our in depth knowledge of the offshore industry ensures optimal solutions in all phases – putting together total packages for new buildings, producing custom designed evacuation systems, supplying the right combination of personal protective equipment, as well as professional and convenient servicing and replacement.

When you choose VIKING life-saving equipment you choose a sound long term investment.



# About the Catalogue

**VIKING is an innovator in life-saving equipment for a wide range of offshore installations including fixed and floating platforms, FPSO's and drillships.**

## **How to find the information you need to select your offshore safety equipment**

Products are easy to locate using the table of contents. Each product entry contains a short description, an item number and a list of variants and related products where relevant.

The item number can be used for a quick search for further information on our VIKING Safetyshop website at [www.VIKINGsafetyshop.com](http://www.VIKINGsafetyshop.com).

Enquiries can be made either directly through [www.VIKINGsafetyshop.com](http://www.VIKINGsafetyshop.com) or by contacting the nearest VIKING office or agent who will send a quotation.

VIKING can supply a complete offshore LSA package, including products not found in this catalogue or our online Safetyshop.

**For more information please contact your nearest VIKING office (see page 90) or VIKING Offshore:**

VIKING LIFE-SAVING EQUIPMENT Norge AS

Idrettsvegen 110  
Straume Næringspark  
NO-5353 Straume  
Norway  
Tel: +47-815-00-325  
Fax: +47-563-26-110

E-mail:  
[bergen@VIKING-life.com](mailto:bergen@VIKING-life.com)

<b>About VIKING</b>	<b>6</b>
<b>Complete Safety Packages</b>	<b>8</b>
<b>Evacuation Systems</b>	<b>10</b>
<b>Crew Transfer System</b>	<b>24</b>
<b>Liferafts, Boats, Davits and Accessories</b>	<b>26</b>
<b>Suits, Lifejackets and Accessories</b>	<b>34</b>
<b>Arctic Solutions</b>	<b>46</b>
<b>Marine Fire Safety Equipment</b>	<b>50</b>
<b>Chemical and Gas Detection</b>	<b>70</b>
<b>Safety Showers</b>	<b>74</b>
<b>Lifebuoys and Accessories</b>	<b>76</b>
<b>Pyrotechnics</b>	<b>78</b>
<b>Emergency Equipment</b>	<b>80</b>
<b>Helicopter Crash Kits</b>	<b>84</b>
<b>Survival Kits</b>	<b>86</b>
<b>Cabinets</b>	<b>88</b>
<b>Global Service</b>	<b>92</b>
<b>Orders and Enquiries</b>	<b>96</b>
<b>Addresses</b>	<b>98</b>



Products in this catalogue are sold by VIKING Life-Saving Equipment A/S, and manufactured by VIKING and others. Only those products explicitly called VIKING in the product name are manufactured by VIKING. Product specifications are subject to change without notice. Actual products or manufacturer may differ from those pictured in the catalogue. Some products may not be available.

Other products may be available upon request.

© 2010 VIKING Life-Saving Equipment A/S, all rights reserved. TM VIKING and VIKING Life-Saving Equipment logo are trademarks of VIKING Life-Saving Equipment A/S. Reproduction is prohibited without prior permission.



# About VIKING

**VIKING is a market leader in maritime safety, providing and servicing essential safety equipment for passenger and commercial vessels, offshore installations and vessels, the defence sector, industrial fire fighting as well as leisure yachts.**

VIKING offers a choice of product packages and systems that are standard or tailor made, and certified to the latest requirements.

The VIKING headquarters are located in Denmark. Our liferafts, marine evacuation systems and protective clothing are manufactured at production facilities in Denmark, Norway, Thailand and USA.

The unique VIKING network of global branches, agents and 270 certified servicing stations makes us a truly global provider offering cost-effective and convenient service when and where you need it.



## Dedicated global production

**VIKING products are manufactured using a combination of modern technology and skilled manual labour.**

VIKING has an award winning workplace. Our commitment to quality and safety and our loyal and experienced employees mean that our working atmosphere is quite exceptional.

VIKING practices integrated production with joint global planning. Particular speciality competences or special know how are concentrated at individual production units.

All our production facilities follow uniform guidelines and have identical systems and procedures. VIKING Life-Saving Equipment is certified according to ISO 9001 standards and is regularly evaluated by Det Norske Veritas for compliance. All of our products and components are subject to prototype testing and quality control procedures.

VIKING is registered in the Achilles Joint Supplier Qualification System. (See inside back cover).

## Global service

**An important consideration when investing in marine safety equipment is servicing in the long term.**

VIKING is a global all-in-one service provider offering consolidated servicing of safety equipment on board.

- Liferafts and evacuation systems
- Boats, davits and release hooks
- Marine fire safety equipment
- Immersion suits and lifejackets

We offer total concept service packages including global competitive pricing, handling specifications and service certificates.

Our unique network of 270 certified servicing stations follows strict guidelines for servicing VIKING's products. The network is supported by certified educational programmes, spare parts supply and continually updated online information and manuals.

Certified servicing stations have the appropriate tools and spare parts available as turnaround time is important to our customers. Service can be booked by contacting any of our offices in our global network.

Contact your local office for the nearest VIKING servicing station or visit [www.VIKING-life.com](http://www.VIKING-life.com).



## Global logistics


**Our logistics network acts as one global unit with specialised systems for handling and tracking stock and delivery.**

VIKING's logistics specialists have the necessary certifications for optimising handling of products covered by the Dangerous Goods Act, such as lifejackets and liferafts. We are experienced in customising logistics for customers with centralised stock or several delivery points.

VIKING has worldwide stock points for selected products that are geared to carry the appropriate stock for each market to ensure that our customers benefit from optimal delivery and pricing at appropriate locations.










# Safety Packages

Fully documented package solutions can be supplied for offshore installations and supply vessels based on the safety plan. Let our experts help you put together the optimal offshore safety package.



*Illustration courtesy of Bassoe Technology*



<p><b>A: Helideck</b> Helicopter crash kit</p>  <p>See pages 84-85</p>	<p><b>A: Helideck</b> - ABC powder extinguisher</p>  <p>See pages 61-63</p>	<p><b>A: Helideck</b> - Co2 fire extinguisher</p>  <p>See pages 61-63</p>	<p><b>A: Helideck</b> - Firehose reel (inside JB18)</p>  <p>See pages 67-68</p>	<p><b>A: Helideck</b> - Foam applicator unit</p>  <p>See page 69</p>
<p><b>Here are some of the products that can be supplied.</b></p> 	<p><b>B</b> Offshore system SES-2A</p>  <p>See pages 10-25</p>	<p><b>C</b> Cabinet R5300 with immersion suits</p>  <p>See pages 36-37</p>	<p><b>D</b> Box with lifejacket</p>  <p>See pages 42-45</p>	<p><b>E</b> Lifebuoy with equipment</p>  <p>See pages 76-77</p>
<p><b>E1</b> Lifebuoy with automatic launch (Hammar system)</p>  <p>See pages 76-77</p>	<p><b>F</b> Fast rescue boat with PRH 30</p>  <p>See pages 30-31</p>	<p><b>G</b> Lifeboat</p>  <p>Please contact us</p>	<p><b>H+J</b> Outdoor combined safety shower/eyewash insulated with heat tracing</p>  <p>See pages 74-75</p>	<p><b>I</b> Complete fire equipment JB17FE with all equipment inside (PS6598 etc.)</p>  <p>See pages 50-55</p>
<p><b>K</b> - Personal grab bag - Immersion suit</p>  <p>83 and 36-37</p>	<p><b>L</b> Windsock</p>  <p>See page 83</p>	<p><b>M</b> Basket stretcher inside Jb38</p>  <p>See pages 80-82</p>	<p><b>N</b> Bridge set (12 rockets + container)</p>  <p>See pages 78-79</p>	<p><b>O</b> Transfer basket (Esvagt)</p>  <p>See pages 80-82</p>



# Offshore Evacuation Systems

**VIKING offers unique custom designed evacuation systems for safe, simple and reliable evacuation of all types of fixed and floating offshore installations, FPSO's, drillships and special purpose vessels.**

## **When every minute counts**

Every second is critical when abandoning a rig at sea. Getting the maximum number of crew safely evacuated in the minimum of time is the priority. It is essential that high capacity life-saving equipment is easy to handle by the minimum of crew to ensure safe and rapid evacuation of all on board. VIKING's advanced evacuation systems provide fast and easy evacuation, exceptional stability and are trusted by crew worldwide.



## SES – chute based evacuation

### The widest range of evacuation chute systems - only VIKING can offer systems for all installation types

VIKING's advanced chute based evacuation systems for offshore rescue are second to none. Designed specifically to increase personal safety, our chute based evacuation systems ensure protection against exposure to the elements and a quick and easy descent to sea level.

We have several compact chute based evacuation systems with or without integrated liferafts for all types of fixed and floating offshore installations, FPSO's, drillships and special purpose vessels. All systems are easy to operate with a minimum of crew needed.

With over 200 evacuation systems installed worldwide, VIKING can support an extensive network of locally-based servicing technicians, which means cost-effective and convenient service where and when you need it.

## Meets offshore regulations

All VIKING offshore evacuation systems are constructed according to specifications outlined in SOLAS, MODU, the Petroleum Safety Authority Norway (PSA) rules and NORSOK in Scandinavia, where the systems are built. Local regulations are reviewed by VIKING before delivering equipment to other parts of the world.

## System components

### Container

The container is the structural interface to the platform deck. It protects the evacuation chute against all types of weather – and for some systems even against blasts. The box consists of a load bearing welded frame bolted to a foundation in the deck structure. The foundation is integrated into the deck structure, either in-deck mounted or cantilevered out from the deck edge.

### Evacuation Chute

The fire retardant evacuation chute provides a simple, safe, and fast method of transferring evacuees from deck levels down to sea level. It is divided into cells with speed retarding slides running at opposite angles in a zigzag effect. Openings on each cell located behind the slides, provide easy entry and exit at any point on the chute. The design of the chute enables evacuees to wear lifejackets, survival suits, and breathing apparatuses.

### Boarding Platform

The boarding platform inflates automatically and acts as sea reference point where evacuees can await dry transfer to throw-overboard liferafts or fast rescue crafts. On one of the system types it can be used as an ordinary liferaft by cutting the chute guidance ropes.

### Release System

Evacuation systems are deployed by opening the locking system and releasing the brake of the gravity driven winch. The simplest system is freefall deployed using a knife or pneumatic cutter.

### Stabilising Weight

The stabilising weight sits 10-15 m below the waterline when deployed. It keeps the chute taut and reduces side motion from wind and sea current.

# Offshore Evacuation Systems

**Custom designed evacuation systems with convenient servicing and replacement.**

As with all other equipment on an offshore installation, designing the evacuation system must take a wide range of factors into account. Platform type, installation location, height, special weather conditions as well as the flow of crew in an emergency situation. VIKING's professional offshore evacuation experts can help you integrate an effective evacuation system for your platform.

SYSTEM	APPLICATION	BLAST PROOF CONTAINER	LIFERAFT PROTECTION	MAX INSTALLATION HEIGHT	SYSTEM WEIGHT (approx.)	DIMENSIONS X, Y, Z WITH LIFERAFTS (MM)	MAX EVACUATION CAPACITY
<b>SES-2A</b>	Fixed and floating installations	YES 0,45 Barg	YES	50 M	10 T	4600 x 5000 x 2900	140 persons
<b>SES-2A with Movable Frame</b>	Fixed and floating installations	YES 0,45 Barg	YES	50 M	14,5 T	8170 x 5000 x 5035	140 persons
<b>SES-2B</b>	Fixed and floating installations	NO	NO	50 M	6 T	2565 x 4615 x 2750	140 persons
<b>SES-2B with Sliding Frame</b>	Fixed and floating installations	NO	NO	50 M	10,5 T	5200 x 5385 x 3310	140 persons
<b>SES-2C Arctic</b>	Fixed installations	YES 0,2 Barg	YES	40 M	14,3 T	4810 x 3930 x 5555	140 persons
<b>SES-2C Arctic with HDS</b>	Fixed installations	YES 0,2 Barg	YES	40 M	27,3 T	7785 x 5930 x 11346	140 persons
<b>SES-2D</b>	Fixed installations	TBD	YES	40 M	8,8 T	4865 x 3930 x 3005	140 persons
<b>SES BASIC Means of Escape</b>	Fixed installations	NO	NO	25 M	1,1 T	2090 x 1400 x 1380	25 persons throw-overboard liferafts are optional



BOARDING PLATFORM	SOLAS LIFERAFTS	INSTALLATION	TEMPERATURE RANGE	SERVICE RAIL	RETRIEVABLE WINCH	HEAT TRACING	ISOLATED WALLS/DOOR	DEPLOYMENT
YES 35 persons	2 or 4 of 12, 16, 20, 25, or 35 persons "A-Pack" or "B-pack"	Ready Cantilevered	-20°C to +65°C	Yes	YES	OPTIONAL	NO	SEA
YES 35 persons	2 or 4 of 12, 16, 20, 25, or 35 persons "A-Pack" or "B-pack"	Ready Cantilevered Flush with Rigside when stowed	-20°C to +65°C	YES	YES	OPTIONAL	NO	SEA
YES 35 persons	2 or 4 of 12, 16, 20, 25, or 35 persons "A-Pack" or "B-pack"	Not Ready Cantilevered	-20°C to +65°C	YES (Service Tower)	YES	OPTIONAL	NO	SEA
YES 35 persons	2 or 4 of 12, 16, 20, 25, or 35 persons "A-Pack" or "B-pack"	Ready Cantilevered Flush with Rigside when stowed	-20°C to +65°C	NO	YES	OPTIONAL	NO	SEA
YES 25 persons	2 or 4 of 12, 16, 20, 25, or 35 persons "A-Pack" or "B-pack"	Ready Cantilevered	-40°C to +65°C	NO	YES	YES	OPTIONAL	SEA, NON-MOVING ICE AND STAND BY VESSELS
YES 25 persons	2 or 4 of 12, 16, 20, 25, or 35 persons "A-Pack" or "B-pack"	Ready Cantilevered Flush with Rigside when stowed	-40°C to +65°C	NO	YES	YES	OPTIONAL	SEA, NON-MOVING ICE AND STAND BY VESSELS
YES 25 persons	2 or 4 of 12, 16, 20, 25, or 35 persons "A-Pack" or "B-pack"	Ready Cantilevered	-46°C to +65°C	NO	YES	YES	OPTIONAL	SEA
YES 25 persons	NO. optional throw-overboard liferafts	Not Ready Cantilevered	-0°C to +65°C	NO	NO	NO	NO	SEA



- Unique high capacity evacuation system for maximum evacuation heights
- Complete with integrated liferafts, fire retardant chute and blast proof container
- Suitable for installation in production areas

# VIKING SES-2A



Container mounted at testing tower

## For fixed and floating platforms

The SES-2A is specially designed for fixed and floating offshore installations and comes complete with a fire retardant chute and integrated liferafts stored inside the blast proof container.

It offers controlled launching and recovery in temperatures from -20°C to +65°C and can evacuate up to 140 persons within 10 minutes.

## Features

- Robust high capacity transfer system
- For fixed and floating installations
- Max. evacuation height of 50 metres
- Operating temperatures from -20°C to +65°C
- Ready for cantilevered installation
- Integrated liferafts
- Blast proof container
- Max. evacuation capacity: 140 persons within 10 minutes



Launching begins



- High capacity system with movable frame
- Flush with rig side when stowed
- Cantilevered from side when deployed

## VIKING SES-2A *- with movable frame*




### For FPSO's, fixed and floating platforms

Stored hydraulic power moves the evacuation system into cantilevered position for deployment, and after use retracts the system into the storage container. It comes complete with a fire retardant chute and integrated liferafts stored inside the blast proof container.

It offers controlled launching and recovery in temperatures from -20°C to +65°C and can evacuate up to 140 persons within 10 minutes.

### Features

- Robust high capacity transfer system
- FPSOs, fixed and floating installations
- Max. evacuation height of 50 metres
- Operating temperatures from -20°C to +65°C
- Flush with rig side when stowed and cantilevered when deployed
- Integrated liferafts
- Blast proof container
- Max. evacuation capacity: 140 persons within 10 minutes





- Compact and lightweight system
- Ideal for installation in living quarter areas
- Complete with integrated liferafts and fire retardant chute

# VIKING SES-2B



*When ready to deploy simply open door and pull lever*

## For fixed and floating platforms

The SES-2B is specially designed for fixed and floating platforms with evacuation heights - for the standard version - up to 50 metres.

The evacuation system comes complete with a fire retardant chute and integrated liferafts safely stored outside the container.

It offers controlled launching and recovery in temperatures from -20°C to +65°C and can rapidly evacuate up to 140 persons within 10 minutes.

## Features

- Compact and lightweight transfer system
- Fixed and floating installations
- Max. evacuation height of 50 metres
- Operating temperatures from -20°C to +65°C
- Integrated liferafts
- Max. evacuation capacity: 140 persons within 10 minutes



*Launching begins. Liferafts are lowered with the chute*





- Compact system with movable frame
- Flush with rig side when stowed
- Cantilevered from side when deployed

## VIKING SES-2B - with sliding frame



*A hydraulic slide moves the evacuation system into cantilevered position for deployment.*

### For offshore installations where all equipment must be stored within the deck of the installation

The system comes complete with a fire retardant chute and integrated liferafts safely stored outside the container. The hydraulic slide moves the evacuation system into cantilevered position for deployment, and after use, retracts the system into the storage container.


It offers controlled launching and recovery in temperatures from -20°C to +65°C and can rapidly evacuate up to 140 persons within 10 minutes.

### Features

- Compact and lightweight transfer system
- For all installation types
- Max. evacuation height of 50 metres
- Operating temperatures from -20°C to +65°C
- Flush with rig side when stowed and cantilevered when deployed
- Integrated liferafts
- Max. evacuation capacity: 140 persons within 10 minutes



- Designed for Arctic winter conditions
- Special heat tracing to prevent freezing
- Deploys directly onto deck of vessel and to sea



## VIKING SES-2C Arctic



Container outside

### For fixed installations

VIKING has developed a new evacuation system specifically designed for frozen waters and harsh arctic environments. Severe winters can limit rescue operations. Fog makes evacuation by helicopter unsafe and winter ice makes the use of free fall lifeboats impossible. VIKING has therefore modified its already proven offshore chute system to cope with the special conditions encountered when evacuating by chute directly onto a ship.

### Features

- Counterweight system allows deployment to sea, standby vessels, ice breakers and other ships etc.
- For fixed installations
- Max. evacuation height of 40 metres
- Operating temperatures from -40°C to +65°C
- Blast proof container
- Special heat tracing to prevent freezing around critical areas
- Integrated liferafts
- Max. evacuation capacity: 140 persons within 10 minutes



- Harsh weather conditions
- Fully operational in temperatures from  $-46^{\circ}\text{C}$  to  $+65^{\circ}\text{C}$
- Deploys to sea

## VIKING SES-2D



*Liferafts are an integrated part of the system and safely stored inside the blast proof container*

### For fixed installations

The SES-2D system can be deployed to sea using a boarding platform and liferafts as means of evacuation. The system is designed for storage and deployment in temperatures from  $-46^{\circ}$  to  $65^{\circ}\text{C}$ .

Evacuation capacity is 140 persons within 10 minutes from evacuation heights up to 40 metres.

The SES-2D system complies with a subset of the IMO ISA MSC.48(66) in accordance with DNV.



*When ready to deploy simply open door and pull lever*

### Features

- Robust high capacity transfer system
- Fixed installations
- Max. evacuation height of 40 metres
- Operating temperatures from  $-46^{\circ}\text{C}$  to  $+65^{\circ}\text{C}$
- Integrated liferafts
- Max. evacuation capacity: 140 persons within 10 minutes



# VIKING SES Basic Means of Escape

**Basic escape system for fixed installations up to 25 metres.**

Light and small container appropriate for reduced spaces. Operational in air temperatures ranging from 0°C to +65°C. Standard capacity of boarding platform: 25 persons, expandable with the use of additional throw-overboard liferafts. Comes with a fire retardant chute.

## SES Basic

VIKING can deliver turnkey solutions for upgrading safety levels on existing platforms. A ramp installed with the SES Basic allows for a cost-effective solution as it eliminates the need for new drawings. Liferrafts can be connected to the system after deployment.

## Special features

- Small and lightweight basic transfer system
- For fixed installations
- Max. evacuation height of 25 metres
- Operating temperatures from 0°C to +65°C
- Standard evacuation capacity: 25 persons
- Evacuation capacity can be expanded with additional throw-overboard liferafts

## Container


The container is the structural interface to the platform deck. It protects the evacuation chute against all types of weather and consists of a load bearing welded frame for bolting onto a foundation in the deck structure. The foundation is integrated into the deck structure, either in-deck mounted or cantilevered out from the deck edge.

## Fire Retarding Evacuation Chute

The evacuation chute provides a simple, safe and reliable method for transferring evacuees from deck levels down to sea level. It is divided into cells with speed retarding slides running at opposing angles in a zigzag effect. Openings in the chute located behind each slide, provide easy entry and exit at any level. The speed retarding slides also permit evacuees wearing lifejackets, survival suits and breathing apparatus to pass safely through the chute. The length of the chute is calculated to allow for side motion under strong wind and current conditions.



*The container protects the evacuation chute against all types of weather*



## Release system

The system is drop released using a special knife or pneumatic cutter. After the strap has been cut the stabilising weight, boarding platform and chute fall freely down to sea level.

## Boarding platform

The boarding platform inflates automatically and acts as sea reference point where evacuees can await dry transfer to throw-overboard liferafts or fast rescue crafts.

## Stabilising weight

The stabilising weight is attached to 3 ropes at the base of the chute and hangs below the waterline when deployed. It keeps the escape passage/chute taut and reduces side motion from wind and sea current. This unit must be serviced annually.

**NEW  
PRODUCT  
COMING SOON**



# VENOC

**High capacity evacuation system for FPSO's, drillships and special purpose offshore vessels**

VENOC is the most flexible evacuation chute system available for vessels today. It can be used at evacuation heights between 5 and 45 metres and can cope with list conditions of up to 20°.



1) VENOC stowed position




2) VENOC container tilt



3) VENOC ready to deploy



4) VENOC deployment



### Specially designed for vessels

The VENOC evacuation system is installed on open deck with a very small footprint. A hydraulic arrangement moves the evacuation system into cantilevered position for deployment. The main self-righting liferaft is connected to the buoyancy device and will inflate automatically at sea level – making it simple to board. No bowing-system or lines are needed and no welding on the ship's side either.

### Special features\*

- Compact and lightweight transfer system
- FPSOs, drillships and special purpose offshore vessels
- Flexible evacuation heights: 15/30/45 metres (chute can be extended for higher ship sides)
- Neutral at 10° trim and 20° list conditions. Excess chute rings are simply stacked in the buoyancy device
- Operating temperatures from -20°C to +65°C
- Flush with ship side when stowed and cantilevered when deployed
- Integrated 25, 50 or 100 person self-righting liferafts
- Max. evacuation capacity: 140 persons within 10 minutes / 420 persons within 30 minutes
- Chute test according to SOLAS/LSA and with EU wheel marking certificate
- Classification: LLOYDS

\* All specifications are subject to alteration without notice



# Selstair

- part of the Lockheed Martin / VIKING Crew Transfer System

Selstair is a fully collapsible staircase that gives access to offshore platforms of various heights. It can be remotely deployed and offers a safe, efficient and cost-effective way of transporting offshore personnel to and from platforms.





## Selstair

Our Selstair embarkation system consists of a collapsible staircase that can be lowered from platform deck to the sea or vessel for effectively transferring personnel from platform to vessel or vice versa. It features:

- Increased safety and capacity compared to traditional methods as conventional ladders and baskets
- Remote launching and rapid deployment are considerable advantages when disembarking or boarding offshore installations

## Safe, controlled and convenient access

It is essential that high capacity safety equipment is easy to operate by a minimum of crew. Remote launching and rapid deployment are considerable advantages when disembarking or boarding offshore installations.



Selstair contains a collapsible staircase that can be lowered either to sea or above sea for transferral to vessel. The system is deployed by pure gravity and electrical power is only needed for retrieval. Non-slip aluminium steps and landings, handrails and safety net around the staircase guarantee safe passage for all.

## Maintenance and service

Stairs are stored inside the container when not in use. This protects the system from the harsh environment and reduces maintenance to a minimum. Selstair has few movable parts, which makes maintenance easier.

Visit [www.VIKING-offshore.com](http://www.VIKING-offshore.com) for a video demonstration of Selstair



## Selstair components

- Stairs
- Landings
- Handrails
- Container (optional) incl. winch
- Stabilising weight
- Module for interface with vessel
- Remote control

## Designed to customer specifications

Selstair systems can be designed according to customer specifications such as:

- Capacity
- Length
- Interface with vessel



# Liferafts, Boats,



# Davits and Accessories

**VIKING's throw-overboard and davit-launchable liferafts are available in a standard version and a top of the line automatically self-righting version.**

The proven self-righting liferafts ensure that no matter how the liferaft lands in the water it will always right itself ready for boarding. Liferafts can be equipped with a hydrostatic release unit so that it inflates automatically if they have not been released manually.

Liferafts are subjected to rough sea trials, wind velocity tests at forces of 30 metres per second and deployed at extremely low temperatures. Self-righting liferafts are also tested for automatic self-righting capabilities.



# Liferafts

## VIKING Arctic Liferaft

***The only liferaft on the market designed and tested for Arctic conditions***



- Fully functional at temperatures as low as -49°C
- Fail-proof efficient heater system ensures that the liferaft always inflates
- IP68 certified for blast proof areas

**ITEM NO.: L025D0014AC5**

Complies to MSC Circ.1056, guidelines for ships sailing in Arctic waters. Approvals: SOLAS, EC MED B 5064 and RMRS



**Safetyshop:** -

VARIANTS	
<b>L006D0014AC5</b>	6 person throw-overboard liferaft, arctic
<b>L016D0014AC5</b>	16 person throw-overboard liferaft, arctic
<b>L020D0014AC5</b>	20 person throw-overboard liferaft, arctic
<b>L025D0014AC5</b>	25 person throw-overboard liferaft, arctic
<b>L016DF0014AC5</b>	16 person davit-launched liferaft, arctic
<b>L020DF0014AC5</b>	20 person davit-launched liferaft, arctic
<b>L025DF0014AC5</b>	25 person davit-launched liferaft, arctic
<b>L035DF0014AC5</b>	35 person davit-launched liferaft, arctic
<b>L025DFS114AC5</b>	25 person davit-launched self-righting, arctic
RELATED PRODUCTS	
An Arctic liferaft package typically consists of liferafts along with specially selected cradles, relays, cables and boxes that are suited for Arctic conditions.	
<b>1026612</b>	Control box supply for up to 2 adjacent containers
<b>1026613</b>	Cable 5 m, with plug, HRU and instructions - per liferaft

## VIKING Throw-overboard Liferaft

- Type VIKING DK+
- High durability with an expected lifespan of 15-20 years. Exceptionally stable even in extremely rough seas. Can be deployed even at very low temperatures
- Two individual buoyancy chambers, each carrying capacity weight, so a puncture in one tube will not cause destabilisation
- Sizes 6-35 persons



**Safetyshop:** Datasheet, certificates, specs



### VARIANTS

<b>L006D00</b>	6 person throw-overboard liferaft
<b>L008D00</b>	8 person throw-overboard liferaft
<b>L010D00</b>	10 person throw-overboard liferaft
<b>L012D00</b>	12 person throw-overboard liferaft
<b>L016D00</b>	16 person throw-overboard liferaft
<b>L020D00</b>	20 person throw-overboard liferaft
<b>L025D00</b>	25 person throw-overboard liferaft
<b>L035D00</b>	35 person throw-overboard liferaft

### RELATED PRODUCTS

-	-
---	---

## VIKING Davit-launched Liferaft

- Type VIKING DKF+  
Designed to be inflated on deck level and lowered to water level
- Provide safe effective means of dry-shod evacuation and suitable for all types of vessels, regardless of deck height or hull shape
- Sizes: 12-35 persons



**Safetyshop:** Datasheet, certificates, specs



### VARIANTS

<b>L012DF00</b>	12 person davit-launched liferaft
<b>L016DF00</b>	16 person davit-launched liferaft
<b>L020DF00</b>	20 person davit-launched liferaft
<b>L025DF00</b>	25 person davit-launched liferaft
<b>L035DF00</b>	35 person davit-launched liferaft

### RELATED PRODUCTS

-	-
---	---

## Hydrostatic Release Unit For Liferaft

- The Hammar H20 releases at any angles and needs only the required water pressure to activate
- Designed to activate release at depths of between 1.5-4 m
- No spare parts or service required, but needs replacement every other year. Simple to install and clearly marked with an expiry date



**ITEM NO.:** 1003641

**Safetyshop:** Datasheet, certificates



### VARIANTS

<b>1004501</b>	Hydrostatic release unit for EPIRB, Hammar H20
<b>1010315</b>	Hydrostatic release units for small liferafts, Hammar H20

### RELATED PRODUCTS

-	-
---	---

## Deck Cradle For Davit-launched Liferaft

- Galvanized steel
- Delivered complete with lashings
- Cradles are available for all sizes of davit-launchable liferafts



**Safetyshop:** -

### VARIANTS

<b>1000012</b>	Galvanized deck cradle for 4-8 person throw-overboard liferafts
<b>1000013</b>	Galvanized deck cradle for 10-16 person throw-overboard liferafts
<b>1000053</b>	Galvanized deck cradle for 20-25 person throw-overboard liferafts
<b>1002727</b>	Stainless deck cradle for 12 person davit-launched liferafts
<b>1000014</b>	Stainless deck cradle for 16-25 person davit-launched liferafts
<b>1004327</b>	Stainless deck cradle for 35 person davit-launched liferafts

### RELATED PRODUCTS

<b>1015772</b>	Ramp for 2x16, 2x20 or 2x25 DK or DKF liferafts (DK lashing item no.1004164, DKF lashing item no.1015780)
<b>1015750</b>	Rack for one 16, 20 or 25 person DK liferaft (lashing item no. 1003994)



# Boats

## Rescue Boat, Valiant RB 450 PVC

- Fully equipped 6 person rescue boat
- Rigid with fibre glass hull with PVC buoyancy tubes
- Approved with 25 HP outboard petrol engine

ITEM NO.: 1015233



Safetyshop: Datasheet, specs, certificates



### VARIANTS

1010449	Semi-rigid MOB boat RB 450 Akron
1023100	Semi-rigid MOB boat RR-40 - Neuvisa

### RELATED PRODUCTS

1012265	Cradle for semi-rigid MOB boat
1018151	Tarpaulin cover for semi-rigid MOB boat - Valiant
1011095	Tarpaulin cover for semi-rigid MOB boat - Neuvisa

## VIKING 470 GRP1 Rigid MOB Boat

- Built in fibre glass making the boat practically unsinkable
- Practical one point lifting mast and integrated watertight compartments
- Remote control steering system
- Petrol engine: 25, 40 or 60 HP

ITEM NO.: B1225600EU

**Approval:** According to SOLAS 74/96, LSA Code and EU Directive 96/98/EC as amended.

Safetyshop: Datasheets, certificates, specs



### VARIANTS

B0225600EU	VIKING 470 GRP1 MOB rescue boat with single point lifting mast. Incl. Yamaha 25 HP outboard engine
B0240600EU	As above but incl. Yamaha 40 HP engine
B0260600EU	As above but incl. Yamaha 60 HP engine
B1225600EU	As above prepared for 25 HP outboard engine
B1240600EU	As above but prepared for 40/60 HP outboard engine
B0240310US	As above but incl. 40 hp Evinrude engine and USCG app

### RELATED PRODUCTS

1012010	Self-righting system for VIKING 470 GRP1 MOB boat
1004964	Wide fender for VIKING 470 GRP1 MOB boat
1004902	Tarpaulin for VIKING MOB 470 GRP1 (25 hp engine)
1004903	Tarpaulin for VIKING MOB 470 GRP1 (40 & 60 hp)
1015273	Dual battery charger for MOB boat (220 V)

### Outboard Petrol Engine

- Engines available from 25-60 HP
- With steering handle
- With tiller
- Manual start
- Complete with propeller guard



ITEM NO.: 1023850

Safetyshop: Datasheet, certificates

VARIANTS	
1014384	40 HP Yamaha outboard petrol engine for remote steering and electrical start, SOLAS/MED approved
1032685	60 HP Yamaha outboard petrol engine for remote steering and electrical start, SOLAS/MED approved
1036030	25HP Tohatsu, outboard petrol engine with manual start
1036033	40HP Tohatsu, outboard petrol engine with manual start
1022941	40 HP Mercury outboard petrol engine for remote steering and electrical start, SOLAS/MED approved
1034344	60 HP Mercury outboard petrol engine for remote steering and electrical start, SOLAS/MED approved
RELATED PRODUCTS	
1029745	Propeller guard for 25 HP for Yamaha
1029746	Propeller guard for 40 and 60 HP for Yamaha

### SOLAS Fast Rescue Boat

- 7.38 mtr GRP Fast Rescue Boat
- Approx. speed of 30 knots
- Waterjet propulsion
- Seats up to 15 persons



Safetyshop: -

VARIANTS	
1035330	7 mtr. aluminium Fast Rescue Boat
RELATED PRODUCTS	
-	-

### Rescue Net For Rescue Boat

- MOB recovery system for rescue boats
- Roll and net ladder, size 185 cm

ITEM NO.: 1020993



Safetyshop: Datasheet

VARIANTS	
1006016	Jasons cradle, size 3 * 14"
1006020	Jasons cradle, size 3 * 28"
RELATED PRODUCTS	
-	-

### Deck Cradle for Semi-rigid MOB Boat

- Galvanized cradle for semi-rigid MOB boat, complete with lashings

ITEM NO.: 1012265



Safetyshop: Specs

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Rescue and Fast Rescue Boat Davit, PRHE30 A-frame Davit

- Freestanding, deck mounted davit with a base frame, davit arm, cylinders, electric winch and hydraulic power pack unit
- Hydraulic pivoting davit
- Optional hydro-pneumatic shock absorber
- Electric controls: motor starter built onto the base frame
- For use when quick hoisting is required 18 m per min.
- SWL: 30 kN. Lowering height can be advised at order. Standard is approx. 25 m
- Launched from inside the rescue boat
- Remote control parts: stainless steel wires, hand grips, sheaves, wire rope clips and shackles



ITEM NO.: 1027043

Safetyshop: -

VARIANTS	
1030816	PRHE20 A-frame davit, SWL: 20 kN
RELATED PRODUCTS	
1030820	1 layer of paint in end colour for A-frame davits
1030821	3 layers of paint in end colour for A-frame davits
1027044	Shock absorber
1006553	Release hook for rescue boats and liferafts CAR35

### Rescue and Fast Rescue Boat Davit, Ferries RO-RO etc. PRH20 A-frame Davit

- Freestanding, deck mounted davit with a base frame, davit arm, cylinders, winch and hydraulic power pack unit
- Hydraulic pivoting davit with constant tensioning system and hydro-pneumatic shock absorber
- SWL: 20 kN
- Lowering height can be advised at order. Standard is approx. 25 m
- Can be launched from the control stand or from inside the rescue boat
- Remote control parts: stainless steel wires, hand grips, sheaves, wire rope clips and shackles




ITEM NO.: 1006151

Safetyshop: -

VARIANTS	
1030817	PRH30 A-frame davit, SWL: 30 KN
RELATED PRODUCTS	
1030820	1 layer of paint in end colour for A-frame davits
1030821	3 layers of paint in end colour for A-frame davits
1006553	Release hook for rescue boats and liferafts CAR35
1027044	Shock absorber

### Release Hook for Rescue Boats CAR 35

- Approved davit release hook to be used with davit-launched liferafts and rescue boats
- On and off load release hook
- Max. SWL: 3500 kg



Safetyshop: Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Release Hook for Rescue Boat

- Stainless steel release hook for davit-launched rescue boats
- On and offload release hook
- Max. SWL: 1100 kg



ITEM NO.: 1010723

Safetyshop: Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
-	-



### Liferaft Davit

- SWL range: 1400-3300
- Manual slewing
- Outreach: 3.5-4 m

ITEM NO.: 1006149



Safetyshop: Datasheet, certificates, specs

VARIANTS	
1006148	Liferaft davit, SWL: 1400 for 16 persons liferafts, SCM 14-3.5 L
1006149	Liferaft davit, SWL: 2100 for 20-25 persons liferaft, SCM 21-4.0 L
1006150	Liferaft davit, SWL: 3300 for 35-39 persons liferaft, SCM 33-3.5 L
RELATED PRODUCTS	
1008295	Davit pedestal 400 mm
1008296	Davit pedestal, 520 mm
1006553	Release hook for rescue boats and liferafts, max. SWL: 3500
1029227	1 layer of paint in end colour for slewing davits
1029228	3 layers of paint in end colour for slewing davits
1027117	Quick return unit - For use when lowering more than one liferaft

### Rescue Boat Davit

- SWL range: 1000-1200
- Manual or hydraulic slewing
- Outreach: 3.5-4 m

ITEM NO.: 1006146



Safetyshop: Datasheet, certificates, specs

VARIANTS	
1006146	Rescue boat davit, SWL:1000, SCM 10-3.5 L
1006147	Rescue boat davit, SWL:1200, SCH 12-3.5 L
1007771	Rescue boat davit, SWL: 1400, SCH 15-4.0 R
RELATED PRODUCTS	
1008295	Davit pedestal
1006553	Release hook for rescue boats and liferafts, max. SWL: 3500
1010723	Release hook for rescue boats and liferafts, max. SWL: 1100
1029227	1 layer of paint in end colour for slewing davits
1029228	3 layers of paint in end colour for slewing davits

### Combi Davit

- SWL range: 1200-3300
- Manual or hydraulic slewing
- Outreach: 3.5-4 m

ITEM NO.: 1020577



Safetyshop: Datasheet, certificates, specs

VARIANTS	
1020577	Combi davit, SWL: 1200, SCM 14/10 - 3.5 LR
1020578	Combi davit, SCH: 1400, SCM 14/12 - 3.5 LR
1020579	Combi davit, SCH: 2100, SCM 21/14 - 4.5 LR
1020580	Combi davit, SCH: 3300, SCM 33/14 - 4.0 LR
RELATED PRODUCTS	
1008295	Pedestal, 400 mm
1008296	Pedestal, 520 mm
1006553	Release hook for rescue boats and liferafts, max. SWL:
1029227	1 layer of paint in end colour for slewing davits
1029228	3 layers of paint in end colour for slewing davits

### Davit Pedestal

- Davit foundation for liferaft, rescue boat or combi davit
- 400 mm pedestal
- Drawings of davits to be found on Safetyshop

ITEM NO.: 1008295



Safetyshop: Specs

VARIANTS	
1008296	Davit Pedestal, 520 mm
RELATED PRODUCTS	
-	-



# Suits and Lifejackets

**VIKING offers a wide range of protective suits and lifejackets for all offshore needs and weather conditions.**

**We work in close cooperation with our international customers to ensure the right solution for each occasion.**



### **Immersion and Constant Wear Suits**

Manufactured to withstand the harshest conditions, VIKING offers a wide range of immersion suits and constant wear suits including combined immersion and fire suits, buoyancy aids, constant wear suits for MOB boat crew and work suits for the offshore wind industry.

### **Pilot and Transportation Suits**

Designed for operations to and from helidecks these suits are made with a strong focus on comfort during extended wear. VIKING is one of only a few suppliers worldwide to offer a fully ETSO-approved system comprising a transportation suit and lifejacket.

### **Lifejackets**

VIKING's lifejackets combine comfort with maximum personal protection at sea. Choose from a wide range specially designed for offshore applications, i.e. with extra buoyancy for situations where the bearer carries extra weight, such as equipment belts, or with heat resistant covers for welders.



# Immersion Suits

## VIKING PU Coated Nylon Immersion Suit

- Approved for use without a lifejacket
- Top of the line model with extra durability and extended protection
- Built-in buoyancy
- Extra thermal barrier (300 g/m<sup>2</sup>)
- Interior braces for adjustable length
- Detachable gloves
- Lifting becket, buddy line and emergency light
- Air tight packing optional
- Sizes: One-size 140-200 cm  
Over-size 190-210 cm



**ITEM NO.: PS5002**

**Safetyshop:** Datasheet, certificates



VARIANTS	
<b>PS5019</b>	Top of the line immersion suit. One size with built-in buoyancy, lifting becket, buddy line, whistle and emergency line
<b>PS5006</b>	PU coated Nylon immersion suit. Standard model with detachable gloves and optional buddy line and lifting becket. Must be worn with a lifejacket
RELATED PRODUCTS	
<b>PV95001002</b>	Solid lifejacket
<b>PV9308</b>	Inflatable lifejacket

## VIKING Offshore Immersion Suit - Self-righting

- Integrated buoyancy aid for a total 275N buoyancy
- Adjustable internal straps for maximum safety and comfort
- Lifting becket, buddy line and emergency light

**ITEM NO.: PS5026**

Fulfils NMD requirements



**Safetyshop:** Datasheet, certificates



VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### VIKING Combined Immersion and Fire Suit

- New top of the line combi-suit with SOLAS and CE approvals
- Provides optimal protection for situations involving either a danger of fire or immersion in cold water
- Two suits in one



ITEM NO.: PS4007

CE approved according to EN469 and 89/686/EEC SOLAS

Safetyshop: Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
PV93086607	VIKING inflatable SOLAS lifejacket with heat resistant cover
PV9344	VIKING inflatable SOLAS 275N lifejacket



### Standard SOLAS approved Immersion Suit

- Top of the line model with extra durability and extended protection
- Built-in buoyancy
- Interior braces for adjustable length
- Detachable gloves, lifting becket, buddy line and emergency light
- Prepared for personal locator beacon
- Air tight packing optional
- Size: One size



**BESTSELLER**

ITEM NO.: PS5019

Safetyshop: Datasheets, certificates

VARIANTS	
PS5002	Top of the line immersion suit with 300 g/m <sup>2</sup> built-in buoyancy, lifting becket, buddy line, whistle and emergency line
PS5006	Top of the line immersion suit. One size with built-in buoyancy, lifting becket, buddy line, whistle and emergency line
RELATED PRODUCTS	
PV95001002	Solid lifejacket
PV9308	Inflatable lifejacket



### VIKING Neoprene Immersion Suit

- Standard model, must be worn with a lifejacket with an emergency light
- Detachable gloves
- Optional emergency light, buddy line and lifting becket
- Sizes: One-size 140-200 cm  
Over-size 170-210 cm
- Included in the Fixed free exchange service concept



**BESTSELLER**

ITEM NO.: PS2004

Safetyshop: Datasheet, certificates

VARIANTS	
PS2006	Neoprene immersion suit with buoyancy head support, USCG approved
PS2007	Neoprene immersion suit with buoyancy head support, light, detachable gloves, lifting becket and buddy line
RELATED PRODUCTS	
PV95001002	Solid lifejacket
PV9308	Inflatable lifejacket
1013818	Lifting becket and buddy line, size 54
1013817	Lifting becket and buddy line, size 58



### Airtight Insulated Immersion Suit

- Packed airtight to fit in compact spaces
- Detachable gloves
- Optional emergency light, buddy line and lifting becket
- Sizes: One-size 140-200 cm  
Over-size 170-210 cm



ITEM NO.: PS2007

Safetyshop: Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
-	-



# Constant Wear Suits

**Manufactured to withstand the harshest conditions with several reinforcements, including knee, thigh and seat area. Durable and comfortable suit for extended wear.**

- Specially designed for MOB boat crew
- Ideal for operations in both cold and warmer climates with choice of light or heavy zip-up thermal linings with integrated buoyancy foam
- Lifting becket, buddy line, light and whistle
- Choice of attached rubber safety boots with steel caps and steel soles; attached rubber boots, or Gore-Tex® socks. Choice of gloves and hood
- Host of design extras, i.e. print on back, embroidered patches etc.
- Specially designed to comply with the latest SOLAS requirements and maximize protection against hypothermia and cold shock

**ITEM NO.: PS4170**

**Safetyshop:** Datasheet



#### VARIANTS

<b>PS4180</b>	As above but with U-shaped zipper - Approval pending
<b>PS4130</b>	Offshore constant wear work suit
<b>PS4185</b>	Immersion suit with build in buoyancy

#### RELATED PRODUCTS

<b>PV9308</b>	VIKING Inflatable SOLAS lifejacket with optional covers
<b>PV9344</b>	VIKING Inflatable SOLAS 275N lifejacket



## Offshore Constant Wear Work Suit

- Gore-Tex® Pazifik® material with good breathability
- Optional pockets and name patches
- Rubber knee and seat reinforcements
- Including rubber boots, optional socks and safety boots
- Sizes: XS-SPL

ITEM NO.: PS4130

Popular in offshore and wind energy where no approval is required

Safetyshop: Datasheet

VARIANTS	
PS4170	SOLAS approved anti-exposure/immersion suit
PS4185	Immersion suit with build in buoyancy
PS4180	As above but with U-shaped zipper - Approval pending
RELATED PRODUCTS	
PV9308	VIKING Inflatable SOLAS lifejacket with optional covers
PV9344	VIKING Inflatable SOLAS 275N lifejacket



## Immersion Suit/Anti-Exposure Suit with Built-in Buoyancy



- Specially designed for MOB boat crew with extra freedom of movement and reinforcements for extended wear
- Comfortable U-shaped zipper that can be kept closed during frequent wear
- Elastic intake on back
- Attached boots optional socks or safety boots
- Light and whistle
- Buoyancy foam on detachable lining and 100N inflatable buoyancy chamber mounted round neck
- Can be customized

ITEM NO.: PS4185

SOLAS approval without lifejacket pending

Safetyshop: Datasheet

VARIANTS	
PS4170	SOLAS approved anti-exposure/immersion suit
PS4130	Offshore constant wear work suit
PS4180	As above but without 100N inflatable buoyancy chamber mounted round neck
RELATED PRODUCTS	
PV9308	VIKING Inflatable SOLAS lifejacket with optional covers
PV9344	VIKING Inflatable SOLAS 275N lifejacket



# Helicopter Transportation Suits and Lifejackets

## **VIKING first to release a complete ETSO-approved transportation suit and lifejacket system for pilots and crew - *designed for operations to and from helidecks***

All passengers and crew travelling by helicopter in hostile sea areas as defined in JAR-OPS-3 must wear ETSO-approved immersion suits and lifejackets. Following recent EASA (European Aviation Safety Authorities) approval, VIKING has become one of only a few suppliers in the world able to offer a

fully ETSO-approved system comprising a transportation suit and lifejacket. VIKING offers rental or leasing agreements on ETSO equipment at selected locations. Please contact your nearest VIKING office for further information.

### **ETSO immersion suits**

The new requirements for immersion suits focus on four primary safety features:

- Reduce amount of trapped air when submerged for better freedom of movement during evacuation.
- Reduce amount of leakage for better protection against hypothermia.
- Improved thermal protection that corresponds to a class B suit.
- Improved visibility for search and rescue operations.

### **ETSO lifejackets**

Lifejackets will also include important safety improvements:

- Equipped with a spray hood which can be deployed within 20 seconds.
- Mouth freeboard at least 120 mm.
- Fitted with a flashing light at a rate of 50-70 flashes per minute for better visibility.
- Optional VIKING EBS, an emergency breathing system with a re-breather that supplies air for a minimum of 60 seconds.



**VIKING Helicopter Transportation Suit**

- Top of the line model with optional intelligent thermal liner that regulates body heat
- Integrated valves to remove trapped air in an evacuation situation to control buoyancy
- Detachable gloves
- J-zipper for added comfort
- Superior comfort with several adjustment features
- Sizes: XS-SPL
- ETSO-approved



**ITEM NO.: PS4003**

**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
<b>PV9302</b>	VIKING helicopter lifejacket

**VIKING Pilot Suit**

- Pilot suit with U-zipper for better comfort during constant wear
- Outer fabric NOMEX® with a GORE-TEX® moisture barrier for better breathability
- Shaped knees and elbow reinforcements
- Multiple pockets
- Elastic intake at waist and center back
- Inside braces attached to upper part of the suit, for convenience when the suit is not fully donned
- ETSO-approved



**ITEM NO.: PS4043**

**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
<b>PV9355</b>	VIKING pilot lifejacket

**VIKING Helicopter Lifejacket**

- Top of the line easy to use lifejacket for operations to and from helidecks
- Detachable escape Emergency Breathing System on front cover with automatic and manual release system.
- Sprayhood
- Detachable neck protection
- Emergency light, whistle, buddy line and lifting becket
- Manually or orally inflated
- ETSO-approved



**ITEM NO.: PV9302**

**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
<b>PS4003</b>	VIKING transportation suit
<b>1012426</b>	Manually activated lifejacket light
<b>1013884</b>	Water activated lifejacket light

**VIKING Pilot Lifejacket**

- For operations to and from helidecks
- Comfortable and lightweight
- Multiple adjustment possibilities
- Extra padding on back for added comfort and support
- Sprayhood
- Manually or orally inflated
- ETSO-approved



**ITEM NO.: PV9355**

VARIANTS	
-	-
RELATED PRODUCTS	
<b>PS4004</b>	VIKING pilot suit

Visit [www.VIKING-offshore.com/protective clothing](http://www.VIKING-offshore.com/protective_clothing) for a video demonstration of VIKING's ETSO-approved helicopter transportation suit and lifejacket.



# Lifejackets

## VIKING SOLAS 2010 Lifejacket

- Rigid 200N lifejacket in three sections
- Orange, or a lime green version for crew
- With optional extra soft cotton neck cover (optional)
- Emergency light (optional), whistle, buddy line and lifting hand grip
- Tapered shape to reduce impact when jumping into water
- 96/98/EC and MSC-81(70) approved
- MSC-207(81) and MSC-200(80) compliant

**ITEM NO.: PV9509**



**Safetyshop:** Datasheet, certificates



### VARIANTS

-

### RELATED PRODUCTS

**PV9500** VIKING SOLAS lifejacket, solid 2009 version

## Lifejacket and Immersion Suit Light



- Single compact flashing unit manually activated
- Compatible with any lifejacket
- Can also be supplied with a pull ring for immersion suits

**ITEM NO.: 1012426**

Approved according to SOLAS/MED and USCG

**Safetyshop:** Datasheet, certificates, specs

### VARIANTS

<b>1013884</b>	Water activated lifejacket light
<b>1015775</b>	Integrated lifejacket light for use with VIKING PV9500 lifejacket, water activated
<b>1014275</b>	Integrated lifejacket light 1015775 incl. mounting on VIKING PV9500 lifejacket, water activated
<b>1012965</b>	Lifejacket light 1012426 incl. mounting on lifejacket or immersion suit, manually activated
<b>1022138</b>	Lifejacket light 1013884 incl. mounting on lifejacket or immersion suit, water activated

### RELATED PRODUCTS

<b>PV95001002</b>	Solid lifejacket
<b>PV9308</b>	Inflatable SOLAS lifejacket with special covers
<b>PV9344</b>	Inflatable SOLAS 275N lifejacket
<b>PS5002</b>	PU coated Nylon immersion suit
<b>PS2004</b>	Neoprene immersion suit

# New lifejacket concept

**VIKING's inflatable SOLAS lifejackets are built around a modular design for a tailor-made solution.**

## Complete integration of components

The new series has a general design philosophy that allows for complete integration of optional components. And with a selection of buoyancy, different closure types (buckles), cover materials, colours and a host of accessories, you can configure a lifejacket according to specific needs.

## SOLAS regulations

According to regulations, all lifejackets must come with a light, whistle, reflective tape, lifting strap, buddy line and two automatic inflation systems. For added safety VIKING has mounted a crotch strap on all lifejackets as well. And no matter how you design your VIKING inflatable lifejacket it will fulfil existing and future SOLAS requirements as described in MSC-200(81).



## VIKING Lifejacket Guide

Order your free copy of our brand new Buyer's Guide to SOLAS Lifejackets on [www.VIKING-life.com](http://www.VIKING-life.com) or contact your nearest VIKING location.

# How to design your own lifejacket

**VIKING makes it easy to configure a lifejacket tailor-made to work conditions in a few easy steps.**

First select the appropriate buoyancy. Then pick a cover material; buckle style; inflation system and light. Finally you have the option to add a sprayhood, a PLB (personal locator beacon) or both.

### Custom configuration options

- Buoyancy
- Cover material
- Closure (buckle style)
- Inflation system
- Light

### Optional items

- Sprayhood
- PLB pocket
- PLB

All VIKING inflatable SOLAS lifejackets come with a whistle, reflective tape, lifting strap and crotch strap. The crotch strap ensures that the lifejacket stays in position, and helps maintain a correct flotation angle.



## Check list

Here's a quick reference guide to the modular configuration options:

Custom configuration items	Choices (check one from each category)
<b>Buoyancy</b>	<input type="checkbox"/> 180N <input type="checkbox"/> 275N symmetrical <input type="checkbox"/> 275N asymmetrical
<b>Cover material</b>	<input type="checkbox"/> Cordura black <input type="checkbox"/> Cordura blue <input type="checkbox"/> Cordura red <input type="checkbox"/> Alu <input type="checkbox"/> Wipe clean red <input type="checkbox"/> Wipe clean yellow <input type="checkbox"/> Wipe clean blue <input type="checkbox"/> Wipe clean black
<b>Closure (buckle style)</b>	<input type="checkbox"/> Salsa <input type="checkbox"/> Interlock <input type="checkbox"/> Side
<b>Inflation system</b>	<input type="checkbox"/> Halkey Roberts <input type="checkbox"/> Hammar
<b>Light</b>	<input type="checkbox"/> Automatic <input type="checkbox"/> Manual
Optional items	
<b>Sprayhood</b>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>PLB pocket</b>	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>PLB</b>	<input type="checkbox"/> Yes <input type="checkbox"/> No

Example of 275N wipe clean lifejacket with snap lock "Salsa" closure and harness.

**Maritime Environments**

- Cover: Black Cordura
- Buoyancy: 180 Newton, symmetrical
- Closure: Side closing, plastic
- Release: Halkey Roberts
- Light: Dan M1

**ITEM NO.: PV9320**



Safetyshop: -

VARIANTS	
-	Tailor-made according to specific needs
RELATED PRODUCTS	
<b>PS4170</b>	SOLAS approved anti-exposure/immersion suit
<b>PS4130</b>	Offshore constant wear work suit
<b>PS4007</b>	SOLAS combined immersion and fire suit
<b>PS4172</b>	Offshore immersion suit
<b>PS4178</b>	Offshore immersion suit
<b>PS4180</b>	Anti-exposure/immersion suit
<b>PS2004</b>	SOLAS neoprene immersion suit
<b>PS2008</b>	SOLAS neoprene immersion suit

**Offshore Wind**

- Cover: Red Cordura
- Buoyancy: 180 Newton, symmetrical
- Closure: Side closing, plastic
- Release: Halkey Roberts
- Light: Dan M1

**ITEM NO.: PV9320**



Safetyshop: -

VARIANTS	
-	Tailor-made according to specific needs
RELATED PRODUCTS	
<b>PS4170</b>	SOLAS approved anti-exposure/immersion suit
<b>PS4130</b>	Offshore constant wear work suit
<b>PS4007</b>	SOLAS combined immersion and fire suit
<b>PS4172</b>	Offshore immersion suit
<b>PS4178</b>	Offshore immersion suit
<b>PS4180</b>	Anti-exposure/immersion suit
<b>PS2004</b>	SOLAS neoprene immersion suit
<b>PS2008</b>	SOLAS neoprene immersion suit

**Offshore Welding**

- Cover: Heat resistant alu
- Buoyancy: 275 Newton, symmetrical
- Closure: Front closing, metal, D-ring
- Release: Halkey Roberts
- Light: Dan M1
- Accessories: PLB pocket

**ITEM NO.: PV9360**



Safetyshop: -

VARIANTS	
-	Tailor-made according to specific needs
RELATED PRODUCTS	
<b>PS4170</b>	SOLAS approved anti-exposure/immersion suit
<b>PS4130</b>	Offshore constant wear work suit
<b>PS4007</b>	SOLAS combined immersion and fire suit
<b>PS4172</b>	Offshore immersion suit
<b>PS4178</b>	Offshore immersion suit
<b>PS4180</b>	Anti-exposure/immersion suit
<b>PS2004</b>	SOLAS neoprene immersion suit
<b>PS2008</b>	SOLAS neoprene immersion suit

**Offshore Industrial**

- Cover: Yellow Wipe Clean
- Buoyancy: 275 Newton, asymmetrical
- Closure: Front closing, snap lock, harness, D-ring
- Release: Hammar
- Light: Dan M1
- Accessories: Sprayhood

**ITEM NO.: PV9361**



Safetyshop: -

VARIANTS	
-	Tailor-made according to specific needs
RELATED PRODUCTS	
<b>PS4170</b>	SOLAS approved anti-exposure/immersion suit
<b>PS4130</b>	Offshore constant wear work suit
<b>PS4007</b>	SOLAS combined immersion and fire suit
<b>PS4172</b>	Offshore immersion suit
<b>PS4178</b>	Offshore immersion suit
<b>PS4180</b>	Anti-exposure/immersion suit
<b>PS2004</b>	SOLAS neoprene immersion suit
<b>PS2008</b>	SOLAS neoprene immersion suit



# Arctic solutions

**VIKING offers a full range of safety products specially designed for frozen waters and harsh arctic environments**

There is a great deal of international interest in the Arctic regions, however severe winters can limit rescue operations. Fog makes evacuation by helicopter unsafe and winter ice makes the use of free fall lifeboats impossible. VIKING has therefore modified its already proven offshore chute system to cope with the special conditions encountered when evacuating by chute directly onto a ship.

**SES-2C Arctic Evacuation System**

- Designed for Arctic winter conditions
- Special heat tracing to prevent freezing
- Deploys directly onto deck of vessel or sea



**Features**

- Counterweight system allows deployment to sea, standby vessels, ice breakers and other ships etc.
- For fixed installations
- Max. evacuation height of 40 metres
- Operating temperatures from -40°C to +65°C
- Blast proof container
- Special heat tracing to prevent freezing around critical areas
- Integrated liferafts
- Max. evacuation capacity: 140 persons within 10 minutes

**SES-2D Evacuation System**

- Harsh weather conditions
- Temperatures from -46°C to +65°C
- Deploys to sea



**Features**

- Robust high capacity transfer system
- Fixed installations
- Max. evacuation height of 40 metres
- Operating temperatures from -46°C to +65°C
- Blast proof container
- Integrated liferafts
- Max. evacuation capacity: 140 persons within 10 minutes

**MSC recommended Personal Survival Kit (PSK)**

- According to IMO guideline MSC/Circ. 1056
- Consist of: Head protection, Neck and face protection, hand protection (mits and gloves), foot protection (socks and boots), insulation suit, immersion suit, thermal underwear, handwarmers, sunglasses, survival candle, matches, whistle, drinking mug, pen knife, handbook (arctic survival) carrying bag

**ITEM NO.: 1035354**



See page 82

Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

**MSC recommended Group Survival Kit (GSK)**

- According to IMO guideline MSC/Circ. 1056
- Consist of: Tent, air mattresses, sleeping bags, stove, stove fuel, fuel paste, matches, pan, fortified health drink, flashlights, candle and holder, snow shovel, tarpaulin, foot protection - booties, container (dry bag)
- Further spare personal equipment is included according to contents of GSK

**ITEM NO.: 1035516**



See page 83

Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

## Arctic Liferaft Heated Container

- Fully functional at temperatures down to -49°C
- Fail-proof efficient heater system ensures that the liferaft always inflates
- IP68 certified for blast proof areas

### ITEM NO.: L025D0014AC5

Complies to MSC Circ.1056, guidelines for ships sailing in Arctic waters.  
Approvals: SOLAS, EC MED B 5064 and RMRS

Safetyshop: -




#### VARIANTS

<b>L006D0014AC5</b>	6 person throw-overboard liferaft, arctic
<b>L016D0014AC5</b>	16 person throw-overboard liferaft, arctic
<b>L020D0014AC5</b>	20 person throw-overboard liferaft, arctic
<b>L025D0014AC5</b>	25 person throw-overboard liferaft, arctic
<b>L016DF0014AC5</b>	16 person davit-launched liferaft, arctic
<b>L020DF0014AC5</b>	20 person davit-launched liferaft, arctic
<b>L025DF0014AC5</b>	25 person davit-launched liferaft, arctic
<b>L035DF0014AC5</b>	35 person davit-launched liferaft, arctic
<b>L025DFS114AC5</b>	25 person davit-launched self-righting, arctic


#### RELATED PRODUCTS

An Arctic liferaft package typically consists of liferafts along with specially selected cradles, relays, cables and boxes that are suited for Arctic conditions.

<b>1026612</b>	Control box supply for up to 2 adjacent containers
<b>1026613</b>	Cable 5 m, with plug, HRU and instructions – per liferaft



**Unique patented design**



- 1** Built-in silicone rubber heating mats inside the container prevent over-icing.
- 2** The exterior supply box can heat two containers simultaneously and has built-in short circuit protection and power on indicator for total reliability. When the ambient temperature rises above approx. 9°C, the heater automatically deactivates.



### VIKING PU Coated Nylon Immersion Suit

- Top of the line model with extra durability and extended protection
- Built-in buoyancy
- Extra thermal barrier (300 g/m<sup>2</sup>)
- Interior braces for adjustable length
- Detachable gloves
- Lifting becket, buddy line and emergency light
- Air tight packing optional
- Sizes: One-size 140-200 cm  
Over-size 190-210 cm



ITEM NO.: PS5002

Safetyshop: Datasheet, certificates

VARIANTS	
PS5019	Top of the line immersion suit. One size with built-in buoyancy, lifting becket, buddy line, whistle and emergency line
PS5006	PU coated Nylon immersion suit. Standard model with detachable gloves and optional buddy line and lifting becket. Must be worn with a lifejacket
RELATED PRODUCTS	
PV95001002	Solid lifejacket
PV9308	Inflatable lifejacket

### Heated Cabinets

- VIKING supplies a full range of heated cabinets
- Keep your suits, lifejackets etc. from freezing and over-icing
- Protected heater box inside cabinet
- Various sizes and electrical supply can be supplied
- ATEX approved

ITEM NO.: CONTACT VIKING

Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-



### VIKING SOLAS Immersion/Anti-Exposure Suit for MOB Boat Crew

- Ideal for operations in both cold and warmer climates with choice of light or heavy zip-up thermal linings with integrated buoyancy foam
- Lifting becket, buddy line, light and whistle
- Choice of footwear, gloves and hood
- Host of design extras, i.e. print on back, embroidered patches etc.
- Specially designed to comply with the latest SOLAS requirements and maximize protection against hypothermia and cold shock



ITEM NO.: PS4170

Safetyshop: Datasheet

VARIANTS	
PS4180	As above but with U-shaped zipper - approval pending
PS4130	Offshore constant wear work suit
PS4185	Immersion suit with build in buoyancy
RELATED PRODUCTS	
PV9308	VIKING Inflatable SOLAS lifejacket with optional covers
PV9344	VIKING Inflatable SOLAS 275N lifejacket

### VIKING Lifejacket, SOLAS thermal protective

- Neoprene torso to keep body warm
- Specially designed for cold water conditions
- 150N buoyancy
- Easy donning
- Compact storage design

ITEM NO.: PV9700

Safetyshop: -



VARIANTS	
PV9509	VIKING SOLAS 2010 lifejacket, solid
RELATED PRODUCTS	
-	-



# Marine Fire Safety Equipment

**VIKING can supply complete packages of approved fire suits and related fire safety equipment on board according to the latest regulations.**

VIKING produces fire suits from top of the line combined immersion and fire suits, to basic suits that protect against radiant heat.



# Fire Suits

## VIKING One Piece Titan Fire Suit

- Extremely lightweight and breathable fire fighter suit with anti-static properties according to EN1149
- NOMEX® outer shell offers high resistance to abrasion and UV degradation
- Kevlar® lining offers superior break open resistance and lightweight feel



ITEM NO.: PS6881

Safetyshop: Datasheet, certificates



VARIANTS	
PS659810	VIKING NOMEX® fire suit, orange
RELATED PRODUCTS	
-	-

## VIKING Two Piece NOMEX® Fire Suit

- Quality fire suit with insulation for extra protection against radiant heat
- Good comfort for extended wear
- Approved for structural fire fighting
- Reflective trim, removable knee pads, radio and box pockets
- Sizes: S, M, L, XL, XXL, SPL
- CE approved according to EN469/2005 and 96/98EC SOLAS



ITEM NO.: PS6598

Safetyshop: Datasheet, certificates



VARIANTS	
-	-
RELATED PRODUCTS	
-	-

**VIKING NOMEX® Fire Suit**

- Quality fire suit with insulation for extra protection against radiant heat
- Good comfort for extended wear
- Approved for structural fire fighting
- Complete outfit with two piece fire suit, gloves, helmet and boots
- Sizes: S, M, L, XL, XXL

**ITEM NO.: PS3789**

CE approved according to EN469/2005 and 96/98/EC SOLAS

**Safetyshop:** Datasheet, certificates



VARIANTS	
<b>PS3787</b>	VIKING NOMEX® Fire Suit.
RELATED PRODUCTS	
<b>1024863</b>	Visor
<b>1024862</b>	Neck cover

**VIKING SOLAS Aluminum Coated Fireman's Outfit**

- Basic aluminium-coated cotton fire suit designed for use on cargo vessels
- One-size suit that protects against radiant heat, burns and scalding
- Complete outfit with two piece fire suit, gloves, helmet and boots
- Size: one size

**ITEM NO.: PS378866**

Approved according to SOLAS 96/98/EC

**Safetyshop:** Datasheet, certificates



VARIANTS	
<b>PS378666</b>	VIKING SOLAS aluminum coated fireman's outfit
<b>1032814</b>	Thermal protective aid without sleeves
RELATED PRODUCTS	
<b>1024863</b>	Visor
<b>1024862</b>	Neck cover

**VIKING One Piece NOMEX® Fire Suit**

- Quality fire suit with insulation for extra protection against radiant heat
- Good comfort for extended wear
- Approved for structural fire fighting
- Reflective trim, removable knee pads, radio and box pockets
- Sizes: S, M, L, XL, XXL, SPL
- CE approved according to EN469/2005 and 96/98/EC SOLAS

**ITEM NO.: PS6581**



**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

**VIKING Two Piece Titan Fire Suit**

- Extremely lightweight and breathable fire suit with anti-static properties according to EN1149
- NOMEX® outer shell offers high resistance to abrasion and UV degradation
- Kevlar® lining offers superior break open resistance and light weight feel

**ITEM NO.: PS7161**



**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

# SOLAS marine fire package

There are specific SOLAS/MED requirements for marine fire-fighting as well as flag state approval requirements. VIKING can supply a full package of approved products as needed for your fleet.

As an alternative to the NOMEX® fire suit shown, an aluminized heat retardant suit can be used, however we strongly advise choosing a NOMEX® model for maximum protection.



**Fireman hood**  
Item No.: P5383567  
See page 58



**Torch light**  
Item No.: 1022230  
See page 57



**Compressor**  
Item No.: 1020797  
See page 59

**Fire proof safetyline**  
Item No.: 1022167  
See page 56



**Fire helmet**  
Item No.: 1024995  
See page 56

**Visor for fire helmet**  
Item No.: 1024863  
See page 56

**Neck protection for fire helmet**  
Item No.: 1024862  
See page 56

**Self-contained breathing apparatus (excl. cylinder)**  
Item No.: 1034661  
See page 58

**Spare cylinder for SCBA**  
Item No.: 1022202  
See page 58

**Fireman waistbelt**  
Item No.: 1034903

**Pouch for fireman axe**  
Item No.: 1020780

**Fireman gloves**  
Item No.: 10179xx  
See page 55

**Short fireman axe**  
Item No.: 1001236  
See page 57

**Long handled fireman axe**  
Item No.: 1017940  
See page 57

**Fire suit**  
Item No.: P56561  
See page 52-53

**Fire boots**  
Item No.: S-5260360xx  
See page 55



# Fire Accessories

## VIKING Fireman Gloves

- Black leather gloves
- Waterproof and fire resistant
- Sizes: 7-12

**ITEM NO.:** 10179XX

CE approved according to EN659 and 96/98/EC SOLAS



**Safetyshop:** Datasheet, certificates



VARIANTS	
<b>PS3858</b>	VIKING Leather fire glove, size 8-13
<b>PS3864</b>	VIKING NOMEX® fire gloves size 8-12
RELATED PRODUCTS	
-	-

## Fireman Boots

- Comfortable boots with reinforced toes and midsole
- Heat and oil resistant rubber sole with protection against penetrating nails
- Sizes: 36-50

**ITEM NO.:** S-5260360XX

Approved according to EN345-2 and SOLAS/MED



**Safetyshop:** Datasheet



VARIANTS	
-	-
RELATED PRODUCTS	
<b>PS3789</b>	VIKING NOMEX® fire fighter suit
<b>PS378866</b>	VIKING aluminiumised fire fighter suit

**Visor for Fire Helmet**

- Fits standard fireman helmet

**ITEM NO.:** 1024863



**Safetyshop:** -

VARIANTS	
-	-
RELATED PRODUCTS	
<b>1024995</b>	Fire helmet
<b>1024862</b>	Neck cover for fire helmet

**Fire Proof Safety Line**

- 30 m safety line complete with snap hook at both ends

**ITEM NO.:** 1022167

Approved according to SOLAS/MED



**Safetyshop:** Certificates



VARIANTS	
<b>1022936</b>	40 m safety line with one snap hook
RELATED PRODUCTS	
<b>1010832</b>	Snap hook for safety line
<b>1031496</b>	Leather belt

**Fire Helmet**

- Made of fibre glass
- Size: adjustable one size

**ITEM NO.:** 1024995

Approved according to EN443 and SOLAS/MED



**Safetyshop:** Datasheet, certificate



VARIANTS	
<b>1033495</b>	Fire helmet, cannot be used with visor
RELATED PRODUCTS	
<b>1024863</b>	Visor
<b>1024862</b>	Neck protection

**Neck Cover for Fire Helmet**

- Fits standard fireman helmet

**ITEM NO.:** 1024862



**Safetyshop:** -

VARIANTS	
-	-
RELATED PRODUCTS	
<b>1024995</b>	Fire helmet
<b>1024863</b>	Visor for fire helmet



### Long Handled Fireman Axe

- Wooden handle
- Length: 90 cm
- Weight: 3 kg

ITEM NO.: 1017940



Safetyshop: Datasheet

VARIANTS	
1021766	Insulated fireman axe
RELATED PRODUCTS	
1006019	Cover for long handled fireman axe

### Fireman Waist Belt

- Safety belt with 2 D-rings
- 2 m safety line and snap hook

ITEM NO.: 1034903



Safetyshop: Datasheet

VARIANTS	
1025302	Safety belt with 2 D-rings, without safety line
1010833	Safety belt with 2 D-rings, incl. safety line. EN approved
RELATED PRODUCTS	
1022167	Fire proof safety line
1031496	Leather belt
1034772	Safety harness AB101E
1034774	Safety harness AB102C

### Torch Light

- Explosion proof
- 2 x R20 batteries required
- Delivered without batteries

ITEM NO.: 1022230

ATEX approved for use in hazardous locations category 2/zone 1



Safetyshop: Datasheet, certificates.

VARIANTS	
1010646	Angled torch light
RELATED PRODUCTS	
1004258	Battery for signal lamp, size R20

### Short Handled Fireman Axe

- Length: 34 cm
- Weight: 1 kg

ITEM NO.: 1001236



Safetyshop: Datasheet

VARIANTS	
1017940	Long handled fireman axe
RELATED PRODUCTS	
1020780	Personal holder for short handled fireman axe

## Angled Torch Light

- Big Ed™
- Explosion proof
- 4 x R14 batteries required
- Delivered without batteries

**ITEM NO.: 1010646**

ATEX approved for use in hazardous locations category 3/zone 2



**Safetyshop:** Datasheet, certificates.

VARIANTS	
1004204	Torch light, small and rechargeable, complete with charger, Little Ed™ Zone 1
1020882	Small torch light
1022891	Wolf Lite (uses 4 x D cell batteries - 1004258)
RELATED PRODUCTS	
1008369	Battery for signal lamp, size R14 (pack of 2)

## Fireman Hood

- 2 layer NOMEX® viscose
- Colour: grey

**ITEM NO.: PS383567**

Approved according to EN13911



**Safetyshop:** Datasheet, certificates.

VARIANTS	
-	-
RELATED PRODUCTS	
1024995	Fire helmet

## Self-contained Breathing Apparatus

- Complete BA set incl. mask, harness and regulator
- 30 min functioning
- Excl. cylinder

**ITEM NO.: 1034661**

Approved according to EN137 and SOLAS/MED



**Safetyshop:** Datasheet, certificates



VARIANTS	
1022201	SCBA with reinforced shoulder paths and quick connector
RELATED PRODUCTS	
1022202	6 l steel air cylinder, delivered empty
1025036	6 l steel air cylinder, delivered filled
1020797	Air compressor
1011250	Cabinet for self-contained breathing apparatus
1031064	6.8 l 300 bar lightweight composite cylinder
1030703	Carrying case for BA set



## Cylinder

**ITEM NO.: 1022202**

## Air Compressor

- Used to fill self-contained breathing apparatus
- Max. pressure 330 bar
- 440 volt/60Hz/3 phase
- Filling capacity 100 l per minute
- Stainless steel frame
- Working temperature: +5 °C > +50 °C
- DIN filling connector
- IP54 protected
- Other models available upon request

ITEM NO.: 1020797

Safetyshop: Datasheet

VARIANTS	
1022629	Air compressor 160 l
1022700	Air compressor 225 l
1034401	Air compressor 100 l 220 volt
RELATED PRODUCTS	
1025083	Switch over device 200/300bar
1022202	Steel air cylinder
1034661	Breathing apparatus



## Escape Smoke Hood

- Protects against smoke and carbon monoxide inhalation
- Easy and quick donning
- Convenient to use and easy to communicate through mask

ITEM NO.: 1024164

Complies with EN403



Safetyshop:

VARIANTS	
-	-
RELATED PRODUCTS	
1029336	Bag for escape smoke hood

## Pouch for Escape Smoke Hood

- For easy carriage of smoke hood (1024164)

ITEM NO.: 1029336



Safetyshop:

VARIANTS	
-	-
RELATED PRODUCTS	
1024164	Escape smoke hood



### Emergency Escape Breathing Device (EEBD) Ocenco

- 15 years maintenance free
- 15-32 minutes duration
- Lightweight
- Compressed oxygen
- Delivered in orange box, easy to store

**ITEM NO.:** 1008018

**Safetyshop:** Datasheet, certificates, specs



#### VARIANTS

<b>1008021</b>	EEBD training kit incl. DVD, for Ocenco
<b>1030700</b>	EEBD standard pressurised type, Spasciani 15 min


#### RELATED PRODUCTS

<b>1008020</b>	Steel bracket for EEBD
----------------	------------------------

### Steel bracket for Ocenco M-20.2 EEBD

- Easily mounted on wall

**ITEM NO.:** 1008020



**Safetyshop:** Drawing

#### VARIANTS

- -

#### RELATED PRODUCTS

<b>1008018</b>	Emergency escape breathing device (EEBD)
----------------	--

### Training model for Emergency Escape Breathing Device with Video and Manual (Ocenco)

- Training set for Ocenco EEBD including 2 extra mouth pieces, instruction manual and training video.

**ITEM NO.:** 1008021



**Safetyshop:** Datasheet, certificates, specs

#### VARIANTS

<b>1008018</b>	Emergency escape breathing device (EEBD) Ocenco
<b>1030700</b>	EEBD standard pressurised type, Spasciani 15 min

#### RELATED PRODUCTS

<b>1008020</b>	Steel bracket for EEBD
----------------	------------------------

**Fire-extinguisher, Foam**

- Cartridge operated
- AFFF foam
- 9 l
- High class painting

**ITEM NO.: 1038368**



**Safetyshop:** Datasheet, certificates

VARIANTS	
<b>1038367</b>	6 l AFFF foam fire-extinguisher
RELATED PRODUCTS	
<b>1038451</b>	90 ml AFFF 6% foam concentrate
<b>1038453</b>	Cartridge for 6 l and 9 l AFFF foam fire-extinguisher (55 g. CO <sub>2</sub> cartridge)
<b>1035458</b>	Marine bracket for 6 kg/6 l fire-extinguisher
<b>1035459</b>	Marine bracket for 9 kg/9 l fire-extinguisher

**Fire-extinguisher, Water**

- Stored pressure
- 9 l
- High class painting

**ITEM NO.: 1038467**



**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
<b>1035459</b>	Marine bracket for 9 kg/9 l fire-extinguisher
<b>1038473</b>	Extinguisher agent for 9 l fire-extinguisher

**Fire-extinguisher, Powder**

- Cartridge operated
- ABC Powder
- High class painting

**ITEM NO.: 1038468**



**Safetyshop:** Datasheet, certificates

VARIANTS	
<b>1038468</b>	6 kg ABC dry powder cartridge operated
<b>1038469</b>	9 kg ABC dry powder cartridge operated
<b>1038470</b>	12 kg ABC dry powder cartridge operated
RELATED PRODUCTS	
<b>1035458</b>	Marine bracket for 6 kg / 6 l fire-extinguisher
<b>1035459</b>	Marine bracket for 9 kg / 9 l fire-extinguisher
<b>1035460</b>	Marine bracket for 12 kg / 12 l fire-extinguisher
<b>1038471</b>	Cartridge for 6 kg ABC dry powder fire-extinguisher (150 g CO <sub>2</sub> cartridge)
<b>1038472</b>	Cartridge for 9 kg and 12 kg ABC dry powder fire-extinguisher (210 g CO <sub>2</sub> cartridge)
<b>1022670</b>	ABC dry powder for 6 kg fire-extinguisher
<b>1022671</b>	ABC dry powder for 9 kg fire-extinguisher

**Fire-extinguisher, CO<sub>2</sub>**

- Steel cylinder
- 5 kg
- High class painting

**ITEM NO.: 1038370**



**Safetyshop:** Datasheet, certificates, specs

VARIANTS	
-	-
RELATED PRODUCTS	
<b>1035457</b>	Marine bracket for 5 kg CO <sub>2</sub> fire-extinguisher

### Fire-extinguisher, Powder

- Stored pressure
- ABC powder
- 2 kg
- High class painting

ITEM NO.: 1038357



Safetyshop: Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Marine Bracket For Fire-extinguisher

- Brackets are available in several sizes

ITEM NO.: 1035457



Safetyshop: Datasheet

VARIANTS	
-	-
RELATED PRODUCTS	
1035457	Marine bracket for 5 kg CO <sub>2</sub> fire-extinguisher
1035458	Marine bracket for 6 kg/6 l fire-extinguisher
1035459	Marine bracket for 9 kg/9 l fire-extinguisher
1035460	Marine bracket for 12 kg/12 l fire-extinguisher

### Fire-extinguisher, Powder

- Stored pressure
- ABC powder
- High class painting

ITEM NO.: 1038360



Safetyshop: Datasheet, certificates

VARIANTS	
1038360	6 kg ABC dry powder stored pressure type
1038454	9 kg ABC dry powder stored pressure type
1038362	12 kg ABC dry powder stored pressure type
RELATED PRODUCTS	
1035458	Marine bracket for 6 kg /6 l fire-extinguisher
1035459	Marine bracket for 9 kg /9 l fire-extinguisher
1035460	Marine bracket for 12 kg /12 l fire-extinguisher

### Fire-extinguisher, CO<sub>2</sub>

- Steel cylinder
- 20 kg

ITEM NO.: 1036972



Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Wheeled Fire-extinguisher, Powder

- Cartridge operated
- ABC powder
- 50 kg

ITEM NO.: 1036965



Safetyshop: Certificates

VARIANTS	
1036971	25 kg ABC dry powder wheeled type fire-extinguisher
RELATED PRODUCTS	
1037009	Spare cartridge for 50 l and 50 kg ABC dry powder fire-extinguisher
1022008	25 kg ABC dry powder in bag
1038081	Sealfire foam for 50l wheeled fire extinguisher
1038009	Sealfire foam for 150l wheeled fire extinguisher

### Wheeled Fire-extinguisher, Foam

- Cartridge operated
- AFFF foam
- 50 litre

ITEM NO.: 1036968



Safetyshop: Datasheet, certificates

VARIANTS	
1036969	150 l AFFF wheeled foam fire-extinguisher
RELATED PRODUCTS	
1022633	9.46 l foam refill for foam fire-extinguisher
1037009	Spare cartridge for 50 l and 50 kg ABC dry powder wheeled fire-extinguisher
1037010	Spare cartridge for 135 l AFFF foam wheeled type extinguisher

### Fire Blanket

- 180 x 120 cm
- Packed in a hard box

ITEM NO.: 1009250



Safetyshop: -

VARIANTS	
1022014	Fire blanket packed in a soft bag
RELATED PRODUCTS	
-	-

### HS Nozzle

- With Storz C aluminium adaptor
- HS16 – 16 mm nozzle
- Also available in 12 and 20 mm upon request

ITEM NO.: 1022676



Safetyshop: Datasheet, certificates

VARIANTS	
1025028	HS16 nozzle with 2" BSP male thread
1011223	HS16 nozzle with Storz C brass adaptor
1022677	HS16 nozzle with Storz 65 aluminium adaptor
1022678	HS16 nozzle with Storz 65 brass adaptor
RELATED PRODUCTS	
1021188	Fire hose, standard, 2", 20 m, Storz C aluminium

### Heavy Duty Fire Hose

- Synthetic Polydur
- Available in various lengths
- Diametre: 2-2.5 inch
- Weight: 230-420 g per metre
- Colour: Red
- Other lengths and couplings available upon request



ITEM NO.: 1025077

Safetyshop: Datasheet, certificates



VARIANTS	
1032874	Fire hose, Polydur 1½", 15m Storz C brass
1025076	Fire hose, Polydur, 2", 15 metre, Storz C brass
1032875	Fire hose, Polydur 1½", 20m Storz C brass
1025077	Fire hose, Polydur, 2", 20 metre, Storz C brass
1025078	Fire hose, Polydur, 2", 25 metre, Storz C brass
1025079	Fire hose, Polydur, 2.5", 15 metre, Storz 65 brass
1025080	Fire hose, Polydur, 2.5", 20 metre, Storz 65 brass
1025081	Fire hose, Polydur, 2.5", 25 metre, Storz 65 brass
RELATED PRODUCTS	
1025417	Fire hose, Polydur, 2", 60 metre without couplings
1025418	Fire hose, Polydur, 2.5", 60 metre without couplings

### Water Fog Applicator

- L=2035 mm
- 45 degree bend with Storz C aluminium adaptor

ITEM NO.: 1030281



Safetyshop: -

VARIANTS	
1031238	Water fog applicator with 2" BSP male thread without adaptor
1031239	Water fog applicator with Storz C brass adaptor
1031250	Water fog applicator with Storz 65 aluminium adaptor
1031251	Water fog applicator with Storz 65 brass adaptor
RELATED PRODUCTS	
1025077	Heavy duty fire hose

### Standard Fire Hose with Storz Couplings

- Available in various lengths
- Diametre: 2-2.5 inch
- Weight: 146-294 g per metre
- Colour: white
- Other lengths and couplings available upon request



ITEM NO.: 1021188

Safetyshop: Datasheet, certificates



VARIANTS	
1022680	Fire hose, standard, 2", 15 metre, Storz C aluminium
1022683	Fire hose, standard, 2", 15 metre, Storz C brass
1022684	Fire hose, standard, 2", 20 metre, Storz C brass
1022681	Fire hose, standard, 2", 25 metre, Storz C aluminium
1022685	Fire hose, standard, 2", 25 metre, Storz C brass
1022686	Fire hose, standard, 2.5", 15 metre, Storz 65 aluminium
1022689	Fire hose, standard, 2.5", 15 metre, Storz 65 brass
1022687	Fire hose, standard, 2.5", 20 metre, Storz 65 aluminium
1022690	Fire hose, standard, 2.5", 20 metre, Storz 65 brass
1022688	Fire hose, standard, 2.5", 25 metre, Storz 65 aluminium
1022691	Fire hose, standard, 2.5", 25 metre, Storz 65 brass
1032436	Fire hose, standard 1½", 20m Storz 38 brass
1032437	Fire hose, standard 1½", 15m Storz 38 brass
1032873	Fire hose, standard 1½", 20m Storz C brass
1034662	Fire hose, standard 1½", 15m Storz 38 alu
RELATED PRODUCTS	
1025415	Fire hose, standard, 2", 60 metre without couplings
1025416	Fire hose, standard, 2,5", 60 metre without couplings

VIKING has the most common sizes of fire hoses on stock at our worldwide stock points. For special lengths and couplings, please contact your nearest VIKING office.



### Turbo Nozzle

- Flow rate 60/130/235
- Easy to operate
- High extinguishing capability
- Complete with Storz C aluminium adaptor

ITEM NO.: 1011224



Safetyshop: -

VARIANTS	
1031252	Turbo nozzle with 2" BSP male thread without adaptor
1031253	Turbo nozzle with Storz C brass adaptor
1031254	Turbo nozzle with Storz 65 aluminium adaptor
1031255	Turbo nozzle with Storz 65 brass adaptor
RELATED PRODUCTS	
-	-

### Fire Hose Coupling

- Available for Storz Coupling
- Includes a long tail
- Available in various sizes
- Other couplings available upon request

ITEM NO.: 1025089



Safetyshop: -

VARIANTS	
1025088	Storz C aluminium for 2" fire hose
1025089	Storz C brass for 2" fire hose
1025090	Storz 65 aluminium for 2" fire hose
1025093	Storz 65 brass for 2" fire hose
1025094	Storz 65 aluminium for 2.5" fire hose
1025096	Storz 65 brass for 2.5" fire hose
1020791	International shore connection, C=52
RELATED PRODUCTS	
-	-

### Jet Spray Nozzle

- 16 mm nozzle without adaptor

ITEM NO.: 1034612



Safetyshop: Datasheet, certificates

VARIANTS	
1034762	Jet spray nozzle, 16 mm with Storz C brass adaptor
1034763	Jet spray nozzle, 16 mm with Storz C Aluminium adaptor
1034764	Jet spray nozzle, 16 mm with Storz 65 adaptor
1034765	Jet spray nozzle, 12 mm with Storz C brass adaptor
1034767	Jet spray nozzle, 16 mm with Storz 65 brass adaptor
1034611	Jet spray nozzle, 12 mm without coupling
RELATED PRODUCTS	
1021188	Fire hose, standard, 2", 20 metre, Storz C aluminium

### Adaptor

- Storz C aluminium adaptor with 2" BSP female thread
- Other adaptors available upon request

ITEM NO.: 1025097



Safetyshop: -

VARIANTS	
1025098	Storz C brass with 2" BSP female thread
1025099	Storz 65 aluminium with 2" BSP female thread
1025100	Storz 65 brass with 2" BSP female thread
RELATED PRODUCTS	
-	-

### Coupling Blanking Cap

- Storz type
- Includes chain

ITEM NO.: 1025101



Safetyshop: -

VARIANTS	
1025101	Blanking cap Storz C aluminium
1025102	Blanking cap Storz C brass
1025103	Blanking cap Storz 65 aluminium
1025104	Blanking cap Storz 65 brass
RELATED PRODUCTS	
-	-

### Coupling Spanner

- For Storz type
- Size: 75-65-52 = Storz B/C

ITEM NO.: 1023759



Safetyshop: Datasheet

VARIANTS	
1011220	Coupling spanner, Storz B/C, insulated handle
RELATED PRODUCTS	
-	-

### Fire Hydrant/Landing Valve

- 2" Hydrant with Storz C aluminium adaptor
- Other adaptors available upon request

ITEM NO.: 1025084



Safetyshop: -

VARIANTS	
1025085	2" Hydrant with Storz C brass adaptor
1025086	2" Hydrant with Storz 65 aluminium adaptor
1025087	2" Hydrant with Storz 65 brass adaptor
1034605	2.5" Hydrant with Storz C brass adaptor
1034606	2.5" Hydrant with Storz C aluminium adaptor
1034607	2.5" Hydrant with Storz 65 brass adaptor
1034608	2.5" Hydrant with Storz 65 aluminium adaptor
RELATED PRODUCTS	
1021188	Fire hose, standard, 2", 20 metre, Storz C aluminium

### International Shore Connection

- 2" with Storz C adaptor brass
- Complete with bolts and gaskets
- Other adaptors available upon request

ITEM NO.: 1022692



Safetyshop: -

VARIANTS	
1020791	International shore connection with 2" male thread without coupling
1030890	International shore connection, 2.5" Storz 65 brass adaptor with bolts and gasket
RELATED PRODUCTS	
-	-

### Storage Cabinet for Fire Hose

- Model Tough Store SOS11 Fire Hose Cabinet
- Made of moulded polyethylene
- Dimensions: H 612 mm x W 460 mm x D 190 mm

ITEM NO.: 1011271



Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
1025077	Heavy duty fire hose
1021188	Standard fire hose with Storz couplings

### Foam Concentrate

- For use with foam re-extinguisher
- 20 litre can
- AFFF foam 6%

ITEM NO.: 1022634



Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Safety Plan Container, PVC

- PVC tube, dimensions L: 900 mm, Ø: 110 mm

ITEM NO.: 1025105



Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Fire Hose Basket

- For rolled fire hose
- Mounted with bracket for nozzle

ITEM NO.: 1032877



Safetyshop: -

VARIANTS	
1032878	Fire hose basket for folded fire hose
RELATED PRODUCTS	
1025077	Heavy duty fire hose
1021188	Standard fire hose with Storz couplings

# Fire Hose Packages

**- complete with parts needed**

A blanking cap protects the hydrant from dirt and salt water when not in use. A coupling spanner can be stored inside the cabinet to make connection and disconnection possible. A cabinet is needed to store the fire hose, see page 67.



1023759 - Coupling spanner  
1035276 - Fire hose cabinet left side open

Product description	Hydrant	Blanking cap	Fire hose standard 20 m	Jet/spray nozzle
Brass storz-C	1025085 - 2"	1025102	1022684 - 2"	1011223
Alu stor-C	1025084 - 2"	1025101	1021188 - 2"	1022676
Brass storz-65	1034607 - 2.5"	1025104	1022690 - 2.5"	1022678
Alu storz-65	1034608 - 2.5"	1025103	1022687 - 2.5"	1022677

## Service of Marine Fire Safety Equipment

**VIKING can service stationary and portable fire equipment from several bases.**

Contact your local VIKING office for your nearest certified servicing station for marine fire equipment or book service directly on our website [www.VIKING-life.com](http://www.VIKING-life.com).



**Foam Inductor Package**



1022695 - Box for foam packages



	Firehose 25 m	Mixer	Pick up hose	Foam canister 20 l	Fire hose 10 m	Foam branch pipe
Storz-C - Brass	1022685 (2" hose)	1022641 (200 l)	1011237	1022634 x 2	1022685 (2" hose)	1022636 (200 l)
Storz-C - Alu	1022681 (2" hose)	1011238 (200 l)	1022635	1022634 x 2	1022681 (2" hose)	1011227 (200 l)
Storz-65 - Brass	1022691 (2.5" hose)	1022643 (200 l)	1011237	1022634 x 2	1022691 (2.5" hose)	1037572 (200 l)
Storz-65 - Alu	1022688 (2.5" hose)	1022642 (200 l)	1022635	1022634 x 2	1022688 (2.5" hose)	1037573 (200 l)
Storz-C - Brass	1022685 (2" hose)	1022645 (400 l)	1011237	1022634 x 2	1022685 (2" hose)	1022639 (400 l)
Storz-C - Alu	1022681 (2" hose)	1022644 (400 l)	1022635	1022634 x 2	1022681 (2" hose)	1022639 (400 l)
Storz-65 - Brass	1022691 (2.5" hose)	1022646 (400 l)	1011237	1022634 x 2	1022691 (2.5" hose)	1037574 (400 l)
Storz-65 - Alu	1022688 (2.5" hose)	1022702 (400 l)	1022635	1022634 x 2	1022688 (2.5" hose)	1022640 (400 l)


**Foam Inductor Package  
- self-inducing**



1022695 - Box for foam packages



	Firehose 25 m	Self inducing branch pipe	Foam canister 20 l
Storz-C - Brass	1022685 (2" hose)	1030694 (200 l) w. ball valve	1022634 x 2
Storz-C - Alu	1022681 (2" hose)	2710 (200 l) w/o ball valve	1022634 x 2
Storz-65 - Brass	1022691 (2.5" hose)	1037575 (200 l) w/o ball valve	1022634 x 2
Storz-65 - Alu	1022688 (2.5" hose)	1031146 (200 l) w. ball valve	1022634 x 2
Storz-C - Brass	1022685 (2" hose)	1037576 (400 l) w/o ball valve	1022634 x 2
Storz-C - Alu	1022681 (2" hose)	1022712 (400 l) w/o ball valve	1022634 x 2
Storz-65 - Brass	1022691 (2.5" hose)	1037577 (400 l) w/o ball valve	1022634 x 2
Storz-65 - Alu	1022688 (2.5" hose)	1037578 (400 l) w/o ball valve	1022634 x 2



# Chemical & Gas Detection

## Gas Tight Chemical Suit

- Gas tight protective suit with hood and sealing frame
- Outer layer: Viton/butyl. Base layer: Polyamid/polyester
- Complete with gloves and boots size 46
- Mask not included
- Size: One size up to 190 cm

**ITEM NO.: 1022114**

Approved according to SOLAS/MED and EN943-2:2002

**Safetyshop:** Datasheet og certificates



VARIANTS	
<b>1022115</b>	Gas tight chemical suit with Kevlar® base layer
RELATED PRODUCTS	
<b>1030698</b>	Repair kit Sykan 4 (1022115), incl. fabric, seam-sealing, brush etc
<b>1030699</b>	Repair kit Sykan 2 (1022114), incl. fabric, seam-sealing, brush etc
<b>1030707</b>	Full face mask
<b>1034771</b>	Gas tight chemical suit for BA set worn inside the suit, MED approved

## Gas Tight Chemical Suit

- For BA set worn outside the suit
- Double coated neoprene
- Sealed rubber safety boots
- Mask not included
- Sizes: L and XL

**ITEM NO.: 1011084**

Approved according to EN943-2:2002

**Safetyshop:** Datasheet, certificates



VARIANTS	
<b>1011084</b>	Gas Tight Chemical Suit L. Boot size 43
<b>1011085</b>	Gas Tight Chemical Suit XL. Boot size 46
RELATED PRODUCTS	
<b>1034771</b>	Gas tight chemical suit for BA set worn inside the suit. MED approved
<b>1030707</b>	Full face mask

### Chemical Boiler Suit

- Lightweight PVC coated Nylon
- Welded seams
- Elastic closures at wrist and ankles
- Excluding boots and mask

**ITEM NO.: 1010717**

Approved according to EN465



**Safetyshop:** Datasheet

VARIANTS	
1010718	Chemical suit, (XL)
1010725	Chemical suit, (XXL)
RELATED PRODUCTS	
1022697	Chemical resistant boots
1022615	Chemical resistant gloves
1010831	Chemical resistant goggles
See cabinets on page xx	

### Chemical Resistant Gloves

- Acid-proof nitrile gloves
- Length: 33 cm
- Size: L

**ITEM NO.: 1022615**

Approved according to EN388 and EN374



**Safetyshop:** Datasheet

VARIANTS	
1022612	Acid proof gloves (S) - length 33 cm
1022614	Acid proof gloves (M) - length 33 cm
1022616	Acid proof gloves (XL) - length 33 cm
1022617	Acid proof gloves (XXL) - length 33 cm
RELATED PRODUCTS	
-	-

### Chemical Resistant Boots

- Acid-proof PVC boots
- Colour: Green
- Steel toe cap
- Size: 45

**ITEM NO.: 1022697**

Approved according to EN345 S4



**Safetyshop:** Datasheet

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Chemical Resistant Goggles

- Flexible, non-mist acetate lenses
- Multi-purpose goggle with soft PVC frame

**ITEM NO.: 1010831**

Approved according to EN166



**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Full Face Mask

- Dual filter
- Material: EPDM rubber
- One size: L

ITEM NO.: 1030707

Approved according to EN136



Safetyshop: -

VARIANTS	
1030705	Half face mask
RELATED PRODUCTS	
1030708	ABEK Filter for above, 1 box of 4 filters

### Chemical Resistant Safety Helmet

- With 6-point terylene harness and sweatband
- Colour: Yellow

ITEM NO.: 1022608

Approved according to EN397



Safetyshop: Datasheet

VARIANTS	
-	-
RELATED PRODUCTS	
1022609	Visor, non-mist and chemical resistant acetate

### Oil Spill Response Kit, 1100 litres

- 7 barrel ~ 1100 litre
- Stored in watertight fibre glass box

ITEM NO.: 1030283

Approval: According to IMO A535/13 and OPA of 1990, Section 4202.



Safetyshop: Datasheet, certificates

VARIANTS	
1030284	Oil spill response kit, 1100 litres according to USCG
1030285	Oil spill response kit, 1900 litres according to USCG
RELATED PRODUCTS	
-	-



### Gas Detection Pump

- Gas detection pump incl. Nylon bag
- For use with gas tubes
- See VIKINGsafetyshop.com for information about the tubes offered



ITEM NO.: 1022647

Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Gas Detection, Model X-am 2000

- 1 - 4 gas detector combustible gases and vapour as well as O<sub>2</sub> CO and H<sub>2</sub>S
- 3 types of warning signals
- Water and dust resistant



ITEM NO.: 1030711

Safetyshop: Datasheet

VARIANTS	
1030709	Gas Detection model PAC 3500
1030710	Gas Detection model PAC 5500
RELATED PRODUCTS	
-	-

### Gas Detection, Model PAC 3500

- Measures either CO, H<sub>2</sub>S or O<sub>2</sub> gasses
- 2 year operating period
- Upon order please specify gas type



ITEM NO.: 1030709

Safetyshop: Datasheet

VARIANTS	
1030711	Gas Detection model X-am 2000
1030710	Gas Detection model PAC 5500
RELATED PRODUCTS	
-	-

### Gas Detection, Model PAC 5500

- Measures: CO, H<sub>2</sub>S, O<sub>2</sub>
- Continuous concentration display and event logger
- 2 year maintenance free



ITEM NO.: 1030710

Safetyshop: Datasheet

VARIANTS	
1030711	Gas Detection model X-am 2000
1030709	Gas Detection model PAC 3500
RELATED PRODUCTS	
-	-



### Wireless Gas Detectors

- FMC 2000 supports up to 24 Meshguard gas detectors
- Easy installation - no wiring or piping
- Can be moved when needed

Safetyshop: Datasheet

VARIANTS	
1037569	Meshguard wireless gas detector
1037570	Meshguard control box for wireless gas detector
RELATED PRODUCTS	
-	-

# THE HARSHTEST ENVIRONMENTS DEMAND THE BEST EQUIPMENT. HUGHES SAFETY SHOWERS



ITEM NO.: 1038404

ITEM NO.: 1023828

ITEM NO.: 1031691

ITEM NO.: 1021970

Emergency Safety Showers and Eye/Facewash equipment are required in all locations where chemicals and hazardous substances are in use.

Hughes Safety Showers manufacture a range of products that are ideally suited to the extreme climates and rigorous conditions experienced within the onshore and offshore oil industry.

For cold climates and arctic conditions the STD-TC-100K/11K is capable of maintaining a water temperature of between 25 to 35°C.

The EXP-AH-5GS/45G is pre-insulated with extra trace tape heating to prevent water inside the shower freezing.

In warm climates and areas with low water pressure the EXP-J-14KS/1200 is ideally suited for supplying water at the ANSI recommended 15 minutes. A chiller unit is fitted when the shower is installed in hot climates.

The EXP-SD-18GS/45G is a self draining shower, this reduces the water held in the stand pipe overheating through solar radiation.

# HUGHES



HUGHES-SAFETY.COM

**With over 40 years experience Hughes Safety Showers manufactures world class products for for the onshore and offshore oil industry**



ITEM NO.: 1038251

## Eyewash Station

- Hughes STD-45 G
- Various models are available upon request

ITEM NO.: 1023833



Safetyshop: Specs

VARIANTS	
-	-
RELATED PRODUCTS	
1021970	Safety shower and eyewash station (indoor)
1023828	Safety shower and eyewash station (outdoor)

## Safety Shower and Eyewash Station (Indoor)

- Hughes EXP-18 G/45 G
- Other models are available upon request

ITEM NO.: 1021970



Safetyshop: Specs

VARIANTS	
1023828	Safety shower and eyewash station (outdoor)
RELATED PRODUCTS	
1023833	Eyewash station

## Eyewash

- Eyewash with eye cup and dust cap
- 3x 500ml

ITEM NO.: 1011291



Safetyshop: Datasheet, instructions

VARIANTS	
-	-
RELATED PRODUCTS	
1031215	Safety shower

## Defibrillator

- Voice guide instruction
- One bottom system
- Open and the unit will start

ITEM NO.: 1037148

Type approved by SLG Prüf- und Zertifizierungs GmbH



Safetyshop: Datasheet

VARIANTS	
1034908	Adult defibrillator pad package
1034905	Battery pack for defibrillator, DBP-1400
RELATED PRODUCTS	
-	-



# Lifbuoys and Accessories

## Lifbuoy Package, 2.5 kg



Safetyshop: Specs



### PRODUCTS

<b>1022623</b>	Lifbuoy, 2.5 kg.
<b>1022628</b>	Floating line for lifbuoy
<b>1036964</b>	Lifbuoy light
<b>1010967</b>	Lifeline per meter (up to 200 m)
<b>1022625</b>	Bracket for lifbuoy

## Lifbuoy Package, 4.3 kg



Safetyshop: Specs



### PRODUCTS

<b>1022624</b>	Lifbuoy, 4.3 kg.
<b>1034056</b>	Quick Release for lifbuoys
<b>1008636</b>	MOB signal

### Lifebuoy, 2.5 kg

- Outer diametre: 72 cm

ITEM NO.: 1022623



Safetyshop: Datasheet, certificates

VARIANTS	
1022624	Lifebuoys, 4.3 kg, 72 cm
RELATED PRODUCTS	
1022628	Floating line for lifebuoy
1036964	Lifebuoy light
1010967	Lifeline per meter (up to 200 m)
1023867	Lifebuoy light, ATEX approved
1034664	Bracket for 72 cm lifebuoy
1001216	Name on lifebuoy

### Lifebuoy Bracket

- For 72 cm lifebuoy
- Stainless steel (type SS 316)

ITEM NO.: 1034664



Safetyshop: Specs

VARIANTS	
1022625	Lifebuoy bracket for 75cm
RELATED PRODUCTS	
1022623	Lifebuoy, 2.5 kg, 72 cm
1022624	Lifebuoy, 4.3 kg, 72 cm

### Explosion Proof Lifebuoy Lights

- New Daniamant L163
- LED technology
- 76 meter drop height
- SOLAS/MED/USCG/ATEX/IECEc/ETL. approved
- 5 year battery lifetime
- Compact size and easy fitting

ITEM NO.: 036947



Safetyshop: ?

VARIANTS	
1036722	L162 USCG approved lifebuoy light
1036721	L161 SOLAS/MED/ATEX/IECEX/ETL. approved lifebuoy light
1036945	L160 SOLAS/MED approved lifebuoy light
RELATED PRODUCTS	
-	-

### Lifebuoy Remote Release System

- Safe and fast operation to save lives
- Electric activation from the bridge
- One complete package
- Easy and quick installation
- Economical solution

ITEM NO.: 1037568



Safetyshop: Specs

VARIANTS	
-	-
RELATED PRODUCTS	
-	-



### Parachute Rocket Signal

- Burn time: 40 sec
- Light intensity: 30,000 candela

ITEM NO.: 1000321



Safetyshop: Datasheet, certificates



VARIANTS	
-	-
RELATED PRODUCTS	
1000320	Handflare signal
1000323	Smoke signal
1001205	Plastic watertight container for pyrotechnics

# Pyrotechnics

### Smoke Signal

- Burn time: 4 min

ITEM NO.: 1000323



Safetyshop: Datasheet, certificates



VARIANTS	
-	-
RELATED PRODUCTS	
1000320	Handflare signal
1000321	Parachute rocket signal

### Handflare Signal

- Burn time: 60 sec
- Light intensity: 15,000 candela

ITEM NO.: 1000320



Safetyshop: Datasheet, certificates



VARIANTS	
-	-
RELATED PRODUCTS	
1000321	Parachute rocket signal
1000323	Smoke signal
1001205	Plastic watertight container for pyrotechnics

### Single Shot Line-throwing Device

- 1 rocket
- 1 line
- Throwing range: 250 m

**ITEM NO.:** 1031187



**Safetyshop:** Datasheet, certificates

VARIANTS	
1024768	Single shot line-throwing device, Hansson PyroTech
1020222	Single shot line-throwing device, Restech PLT R-230
1029676	Single shot line-throwing device, Restech PLT M-150
RELATED PRODUCTS	
1002371	Replacement rocket for line-throwing device
1010635	Line-throwing device without rocket
1029830	Replacement rocket for line-throwing device, Hansson PyroTech model

### Light Smoke Signal (MOB)

- Used with lifebuoys in MOB situations
- Includes lithium battery
- Burn time: 2 hours
- Light intensity: 2 candela
- Incl. mounting bracket

**ITEM NO.:** 1008636



**Safetyshop:** Datasheet, certificates, specs

VARIANTS	
1024767	Light smoke signal (MOB), Hansson PyroTech
RELATED PRODUCTS	
1020803	Adapter plate for MOB signal

### Restech Line Throwing Device (Pneumatic)

- All parts are re-usable
- Build pressure with air by pumping the unit
- Non-dangerous goods
- 230 meter line

**ITEM NO.:** 1020222



**Safetyshop:** Datasheet, Certificates

VARIANTS	
1029676	Line throwing device, Restech PLT R-150 (150 mtr line)
RELATED PRODUCTS	
-	-

### Distress Signals

- Lightweight personal signal launcher
- Contains 9 red aerial flare cartridges and a penjector
- Easy cartridge loading and unloading
- Stored in a water resistant case

**ITEM NO.:** 1033324



**Safetyshop:** Datasheet, Certificates

VARIANTS	
1033325	Personal signal launcher with pen and 3 red cartridges
RELATED PRODUCTS	
-	-



### Transfer Basket

- Esvagt transfer basket
- 4 persons or 500 kg
- For safe personal transport
- DNV certified

**ITEM NO.:** 1020801



**Safetyshop:** Datasheet, certificates

#### VARIANTS

- -

#### RELATED PRODUCTS

- -

# Emergency Equipment

### Basket Stretcher

- Rigid one piece stretcher
- 4 restraining straps
- Lifting bridles 1008915 must be ordered separately

**ITEM NO.:** 1008912



**Safetyshop:** Datasheet, certificates

#### VARIANTS

**1008910** Twin shell basket stretcher

#### RELATED PRODUCTS

**1008914** Floating device for basket stretcher

**1008915** Lifting bridles for basket stretcher

**1008913** Carrying case

**1029757** Restraint belt for stretcher

### Donut Descent Device for Offshore

- Donut 15 m tape
- For evacuation direct to a throw overboard liferaft
- Last means of escape

**ITEM NO.:** 1035292

Lloyd's type approval



**Safetyshop:** -

#### VARIANTS

**1035292** Donut 15 meter tape - 50N/LES

**1035293** Donut 32 meter tape - 100N/LES

**1035294** Donut 46 meter tape - 150N/LES

**1035295** Donut 65 meter tape - 200N/LES

**1035296** Donut 76 meter tape - 250N/LES


#### RELATED PRODUCTS

- -



### Spine Board Stretcher

- Stretcher for immobilising
- Foam filled core for flotation
- Made of high density polyethylene
- X-Ray transparent
- Ula thin
- Easy to clean



ITEM NO.: 1027587

Safetyshop: -

VARIANTS	
1008916	Spine board stretcher (Rock)
RELATED PRODUCTS	
1008917	Rock straps (set of 3)
1008919	Head immobiliser
1025303	Fracture kit, flexible neoprene splints with alumar inlay for arms and legs (5 pcs)

### Strap System

- Designed to provide "full body" immobilisation. For use with spine board stretchers
- The system is compatible with all full-length backboards with 8 or more hand/strap slots




ITEM NO.: 1008917

Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
1008916	Spencer Rock, spine board stretcher
1027587	Spencer B-Bak spine board stretcher

### Head Immobiliser for Spine Board

- Complete Super Blue includes immobilizer base, two foam blocks and head straps
- Two blue vinyl coated foam blocks, with cut-outs for ears, provide firm head support with minimal displacement during application



ITEM NO.: 1008919

Safetyshop: Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
1008916	Spencer Rock, spine board stretcher
1027587	Spencer B-Bak spine board stretcher

### Scoop Stretcher

- Enables gentle manoeuvring of the patient onto the stretcher
- Adjustable to different lengths
- Made of aluminium



ITEM NO.: 1020725

Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
1008917	Rock straps (set of 3)
1008919	Head immobiliser
1025303	Fracture kit, flexible neoprene splints with alumar inlay for arms and legs (5 pcs)

## Paraguard Stretcher

- Foldable and can be packed into a bag. Can be used for helicopter rescue with lifting eyes and the optional lifting bridles
- Colour coded strap
- Compact for versatility
- Immobilising stretcher

**ITEM NO.:** 1020716



**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

## Resuscitator

- PVC bag 1600 ml. with PVC mask size 4 and overpressure valve
- Manually operated

**ITEM NO.:** 1009041



**Safetyshop:** Datasheet, certificates

VARIANTS	
-	-
RELATED PRODUCTS	
<b>1021010</b>	Mask for resuscitator, large

## Stretcher, Neil Robertson type

- Immobilising stretcher
- For hoisting in confined spaces
- Wood strips

**ITEM NO.:** 1022622



**Safetyshop:** Datasheet

VARIANTS	
<b>1020724</b>	Stretcher, Neil Robertson type, UK version. Bamboo wood acc. NATO standard
<b>1020722</b>	Stretcher, Neil Robertson type, EU version. Rigid plastic strips
RELATED PRODUCTS	
<b>1011284</b>	Cabinet for Stretcher, Neil Robertson type

## Resuscitator Pack

- Oxipack bag with 2 litre empty oxygen cylinder, adult oxygen mask and pressure reducer with flow select
- Delivered with empty cylinder

**ITEM NO.:** 1025082



**Safetyshop:** Datasheet

VARIANTS	
<b>1024257</b>	Erie emergency oxygen, resuscitator
RELATED PRODUCTS	
<b>1010759</b>	Spare cylinder for oxygen kit – 2 l

### Bullhorn

- 23 W
- 100 V
- With siren

ITEM NO.: 1037153



Safetyshop:-

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Wind Sock

- Made of stainless steel
- Rotating head with bearing
- Ø600 x L2400 mm sock
- Bending carbonised pole

ITEM NO.: 1022622



Safetyshop:-

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Offshore Personal Grab Bag

- For use on offshore installations and barges, typically stored in lockers or in accommodation area.
- Contains the following items:
  - 1x1013826 VIKING Aluminiumised Grab Bag
  - 1x1024164 Escape Smoke Hood, Cogo
  - 1xPV93082007 Lifejacket, VIKING 1 SOLAS
  - 1x1022230 Torch light, Bright Star 2317C ATEX
  - 2x1004258 Torch light batteries
  - 1x10179XX VIKING Fire Gloves (indicate sizes)
  - 1x1001206 Light Stick

Items ordered separately



Safetyshop:

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### MOB Equipment

For installations in Norwegian waters, equipment for man over board recovery is recommended according to NORSOK.

- Box for equipment - JB20 **ITEM NO.: 1036728**
- Lifejacket **ITEM NO.: PV9344**
- Work suit **ITEM NO.: PS4170**
- Thermal blanket (TPA) **ITEM NO.: 1000336**
- Aluminized bag **ITEM NO.: 1036728**
- 30 mtr. floating lifeline **ITEM NO.: 1022628**
- Pair of flippers **ITEM NO.: 1025064**
- Divers knife **ITEM NO.: 1027360**
- Snorkel set **ITEM NO.: 1025065**
- Standard size waterproof torch **ITEM NO.: 1037566**
- Small size waterproof torch **ITEM NO.: 1037567**





# Helicopter Crash Kit

## Helicopter Crash Kit

- Model Jo Bird JB22
- Dimensions: H 600 x W 940 x D 480 mm
- IP56 rating

**ITEM NO.:** 1011273

Delivered acc. to regulation CAP437



**Safetyshop:** -

VARIANTS	
<b>1022948</b>	JB08 Helicopter crash kit with contents (contact VIKING)
RELATED PRODUCTS	
<b>1022201</b>	BA set
<b>PS3864</b>	Fire-fighter gloves
<b>1020796</b>	Power tool

## Water Fog Applicator

- L2035 mm
- 45 degree bend with Storz C aluminium adaptor

**ITEM NO.:** 1030281



**Safetyshop:** -

VARIANTS	
<b>1031238</b>	Water fog applicator with 2" BSP male thread without adaptor
<b>1031239</b>	Water fog applicator with Storz C brass adaptor
<b>1031250</b>	Water fog applicator with Storz 65 aluminium adaptor
<b>1031251</b>	Water fog applicator with Storz 65 brass adaptor
RELATED PRODUCTS	
<b>1025077</b>	Heavy duty fire hose

# Helicopter Crash Kit Equipment

VIKING can help you put together the right helicopter crash kit. Below you see the most common helicopter crash kit equipment according to CAP 437 guidance on standards for offshore helicopter landing areas.



ITEM NO.: 1034661 - SCBA



ITEM NO.: 1022202  
Cylinder for SCBA



ITEM NO.: 1017940  
Long fireman's axe.  
90 cm



ITEM NO.: 1024212  
Wooden pole with  
plastic hook. 18 m



ITEM NO.: 1029873  
Extensible ladder.  
3 m



ITEM NO.: 1022957  
Screwdriver set, 6 pcs



ITEM NO.:1022167  
Fireman's lifeline, 30 m  
incl. snaphook



ITEM NO.:1023827  
Power cutting tool



ITEM NO.: 1023825  
Harness knife



ITEM NO.: 1022958  
Hacksaw 12" with 6 spare blades



ITEM NO.: 1037565  
Pliers, side cutting



ITEM NO.:1022953  
Adjustable spanner,  
size 12"



ITEM NO.:1009250  
Fire blanket, 180 x 180 cm,  
in PVC hard bag



ITEM NO.: 10179xx  
VIKING fire glove (specify size)



ITEM NO.:1022956  
Crowbar 36"



ITEM NO.:1022954  
Bolt cutter, 24"

# MSC recommended Personal Survival Kit (PSK)

COMPLETE PACKAGE  
ITEM NO.: 1035354

VIKING offers complete packages for crew members and passengers travelling in arctic and ice-covered waters



#### Head Protection

- 3 layered Thermax® hat
- Transports sweat away from head
  - Traps in air to keep in heat
  - 55% polyester/23% modal/22% bomuld
  - 260 g/m<sup>2</sup>
  - Size: M
  - Colour: Marine

Vacuum packed



#### Neck & face protection woolen Balaclava

- Balaclava with flexible single opening that can cover entire face except the eyes, or can be pulled back to uncover nose or mouth and nose.
- Long neck for extra coverage
  - 70 % Merino wool
  - 30 % Polyamide
  - Sizes: One size
  - Colour: Black

Vacuum packed



#### Hand protection

- Lionsafe Quebec insulating magic knitted gloves
- Close fit
  - Seam free
  - Ideal for use under outer gloves
  - Unique insulation properties
  - Transports sweat away from hand
  - Colour: Blue

Vacuum packed



#### Hand protection

- Swehand M80 winter glove
- Thinsulate lining
  - Membrane

Vacuum packed



#### Foot protection

##### Mascot TELEMAR thermal socks

- Keep feet dry and warm
- Suitable for use with heavy, closed footwear
- Suitable for use as outer socks
- 50 % uld/25 % acrylic/25 % Nylon
- 122 g per pair
- Sizes: One size
- Colour: Blue

Vacuum packed



#### Foot protection Uvex Quatro winter boots

- With zipper and reinforced toe
- Water-repelling grain side leather
  - Warm fleece lining
  - Internal zip
  - Cold resistant
  - Without hydroflex GEL
  - With nail protector

Vacuum packed



#### Insulated suit Mascot Thule

- Thermal boiler suit in beaver Nylon with synthetic fur lining
- 60 % cotton/40 % Nylon 240 g/m<sup>2</sup>
  - Size: L
  - Colour: Blue



#### Thermal underwear set

- Xtex thermal trousers
- With fly
  - Transports sweat away from the body
  - Cool dry wool

Vacuum packed



#### Xtex thermal underwear

- Round neck
- Long sleeves
- Cool dry wool

Vacuum packed



#### Xtex work socks

- Hold feet dry and warm
- Seam free
- Wool, acrylic, polyamid, Lycra
- Colours: Blue

Vacuum packed



#### Safety Sunglasses Uvex i-vo

- Modern design and fit
- Ula lightweight and wide visual field
- Strong, adjustable frame with comfort zones
- Easy to replace lenses
- Matt side protectors
- Pk 1/5
- Lenses: Blue (mirror)
- Sun/UV 5-2,5, optidur 3000 UV
- Colour: Black



#### Survival candle



#### Whistle (orange)



#### Drinking mug

Plastic drinking mug



#### Matches

- Waterproof packaging
- Box of 40 (240 hours)



#### Pen knife

- Floating knife, B 97 BR



#### Survival handbook

Survival manual



#### Carry bag

- New bag (same model) with shoulder strap



#### Hand warmers

#### VIKING Neoprene immersion suit



- Standard model, must be worn with a lifejacket with an emergency light

- Detachable gloves

- Optional emergency light, buddy line and lifting becket

Size:

- One-size 140-200 cm
- Over-size 170-210 cm

# MSC recommended Group Survival Kit (GSK)

**COMPLETE PACKAGE  
ITEM NO.: 1035516**

GSK dry bag  
60 l: 79 x 63.5 cm - 90 l: 79 x 89 cm



Tents



Air mattresses



Vacuum packed

Sleeping bags



Stove incl.  
- pan with sealing lid  
- stove fuel  
- fuel paste



Matches



Foot protection  
- Booties



Fortified health drinks



Flashlights



Candles



Snow shovel



Snow saw and snow  
knife



Tarpaulin

## Spare Personal Equipment



Vacuum packed

Head  
protection



Vacuum packed

Neck and face  
protection



Vacuum packed

Hand  
protection  
- Mitts



Vacuum packed

Hand  
protection  
- Gloves



Vacuum packed

Foot  
protection  
- Socks



Vacuum packed

Foot  
protection  
- Boots



Vacuum packed

Insulated  
suit



Vacuum packed

Thermal  
underwear



Handwarmers




Sunglasses



Whistle



Drinking mug



### Cabinet for Fire Extinguisher

- Cabinet for 6 kg or 9 kg fire extinguisher
- Dimensions: H 970 x W 470 x D 346 mm
- IP56 rated

**ITEM NO.: 1026131**

Lloyds Register type test approval



**Safetyshop:** -

#### VARIANTS

<b>1026156</b>	Cabinet for 5 kg CO <sub>2</sub> extinguisher, H 1080 x W 440 x D 335 mm
----------------	--

#### RELATED PRODUCTS

-	-
---	---

# Cabinets

### Storage Chest for Immersion Suits

- Model Jo Bird SOS504
- Typically stores 8 x PV9500 lifejackets or 6 x PS2004 Neoprene immersion suits
- Dimensions: H 800 x W 1200 x D 600 mm
- Made of fibre glass

**ITEM NO.: 1018166**



**Safetyshop:** Certificates, specs

#### VARIANTS

<b>1031664</b>	Cabinet model Jo Bird SOS501 H 570 mm x W 650 mm x D 490 mm
----------------	---

#### RELATED PRODUCTS

<b>1011293</b>	Cabinet model PBIS for lifejackets with lift off lid. Dimensions mm H 510 x W 970 x D 625 mm
----------------	--

### Equipment Cabinet with Roller Shutter Closing

- Model Jo Bird RS300
- Stores 2 x firefighter's outfit with SCBA etc.
- Made of GRP
- Dimensions H2016 x W1390 x D460 mm

**ITEM NO.: 1011261**

Lloyds Register type test approval



**Safetyshop:** Certificates, specs

#### VARIANTS

-	-
---	---

#### RELATED PRODUCTS

-	-
---	---



### Storage Box for Lifejackets and Immersion Suits

- Made of fibre glass
- Various sizes and colours

ITEM NO.: 1001220



Safetyshop: Datasheet

VARIANTS	
1001220	Storage box, 300 l, green. For either: 10 x lifejackets, 9 x PS5006 or 12 x PS2004 immersion suits
1005029	Storage box, 300 l, grey. For either: 10 x lifejackets, 9 x PS5006 or 12 x PS2004 immersion suits
1005030	Storage box, 300 l, orange. For either: 10 x lifejackets, 9 x PS5006 or 12 x PS2004 immersion suits
1021729	Storage box, 300 l, white. For either: 10 x lifejackets, 9 x PS5006 or 12 x PS2004 immersion suits
1001221	Storage box, 400 l, green. For either: 15 x lifejackets, 13 x PS5006 or 17 x PS2004 immersion suits
1005031	Storage box, 400 l, grey. For either: 15 x lifejackets, 13 x PS5006 or 17 x PS2004 immersion suits
1005032	Storage box, 400 l, orange. For either: 15 x lifejackets, 13 x PS5006 or 17 x PS2004 immersion suits
1009295	Storage box, 400 l, white. For either: 15 x lifejackets, 13 x PS5006 or 17 x PS2004 immersion suits
1001222	Storage box, 600 l, green. For either: 23 x lifejackets, 20 x PS5006 or 25 x PS2004 immersion suits
1005033	Storage box, 600 l, grey. For either: 23 x lifejackets, 20 x PS5006 or 25 x PS2004 immersion suits
1005034	Storage box, 600 l, orange. For either: 23 x lifejackets, 20 x PS5006 or 25 x PS2004 immersion suits
1010663	Storage box, 600 l, white. For either: 23 x lifejackets, 20 x PS5006 or 25 x PS2004 immersion suits
1001223	Storage box, 800 l, green. For either: 33 x lifejackets, 27 x PS5006 or 34 x PS2004 immersion suits
1005035	Storage box, 800 l, grey. For either: 33 x lifejackets, 27 x PS5006 or 34 x PS2004 immersion suits
1015747	Storage box, 800 l, orange. For either: 33 x lifejackets, 27 x PS5006 or 34 x PS2004 immersion suits
1007991	Storage box, 800 l, white. For either: 33 x lifejackets, 27 x PS5006 or 34 x PS2004 immersion suits
RELATED PRODUCTS	
-	-

### Storage Cabinet for Fire Equipment or Lifejackets

- Model Jo Bird JB17
- Typically stores 2 x sets of fire equipment or 70 x PV9308 inflatable lifejackets or similar models
- Made of fibre glass
- Various sizes and colours
- Dimensions: H 2015 x W1390 x D 460 mm

ITEM NO.: 1011253



Safetyshop: Certificates, specs

VARIANTS	
1031196	Storage cabinet for lifejackets For 60 x PV9308 inflatable lifejackets
RELATED PRODUCTS	
-	-

### Storage Chest for Lifejackets and Immersion Suits

- Made of fibre glass
- Various sizes and colours
- Dimensions: H 500 x W 1000 x D 500 mm

ITEM NO.: 1022694



Safetyshop: Certificates, specs

VARIANTS	
1022695	Cabinet for lifejackets with lift off lid. Dimensions mm H 300 x W 1000 x D 400 mm
RELATED PRODUCTS	
-	-

### Cabinet for 5 Fire Suits

- Jo Bird firefighter clothing cabinet, model Jo Bird JB18FE
- Optional colours and shelf configuration
- Dimensions H 1833 x W 1033 x D 780 mm

**ITEM NO.:** 1031199



**Safetyshop:** -

VARIANTS	
1011250	Cabinet for 2 x BA sets and folded fire suits
1011249	Cabinet for 2 x BA sets and hanging fire suits
1031198	Cabinet for 2 x BA sets and hanging fire suits
RELATED PRODUCTS	
-	-

### Stretcher Cabinet

- Model Jo Bird JB38
- For all model stretchers
- Made of fibre glass

**ITEM NO.:** 1031026




**Safetyshop:**

VARIANTS	
1011284	Cabinet for Neil Robertson stretcher, model Jo Bird JB37
RELATED PRODUCTS	
1008912	Basket stretcher
1027587	Spine board stretcher
1008916	Spine board stretcher (Rock)
1020725	Scoop stretcher

### Emergency Equipment Cabinet

- Model Jo Bird JB20
- Without content
- Optional marking
- IP56 rated
- H1900 x W790 x D665 mm

**ITEM NO.:** 1026151



**Safetyshop:** -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Personal Equipment Cabinet

- Model Jo Bird JB62
- Optional marking
- Lloyds type approval
- H350 x W270 x D150 mm

**ITEM NO.:** 1011256

Lloyds type approval



**Safetyshop:** Certificates, specs

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Cabinet for Fire Extinguisher

- Cabinet for 6 kg or 9 kg fire extinguisher
- Dimensions: H 970 x W 470 x D 346 mm
- IP56 rated

**ITEM NO.: 1026131**

Lloyds Register type test approval



Safetyshop: -

VARIANTS	
1026156	Cabinet for 5 kg CO <sub>2</sub> extinguisher, H 1080 x W 440 x D 335 mm
RELATED PRODUCTS	
-	-

### Storage Cabinet For Self-contained Breathing Apparatus

- Model Jo Bird JB13 BA
- Dimensions: H 1530 x W 910 x D 460 mm
- Various colours
- IP56 rated

**ITEM NO.: 1011250**



Safetyshop: Certificates, specs

VARIANTS	
-	-
RELATED PRODUCTS	
1034661	Self-contained breathing apparatus

### Chest for 13 Lifejackets - type PV9509

- Stackable to reduce cost, when transporting more than one box
- Can be moved with a fork lift
- Lettering is optional

**ITEM NO.: 1035517**



Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
-	-

### Cabinet for 90 cm Axe

- IP56 rated
- H1080 x W440 x D335 mm

**ITEM NO.: 1026156**

Lloyds Register type test approval



Safetyshop: -

VARIANTS	
-	-
RELATED PRODUCTS	
1017940	Long handled fireman axe



# Service Packages

**VIKING offers total concept service packages, including global competitive pricing, handling specifications and service certificates.**

## **One point of contact**

Our unique network means that we can cover all your safety equipment servicing needs from one contact point, either through one of our own servicing stations or through referred service. Contact a VIKING location for further information.

# Expert servicing where and when you need it




## Key offshore hubs for easy access to safety specialists

VIKING's offshore specialists at strategic locations across the globe provide flexible and efficient servicing of offshore safety equipment, including certification management.

Our unique coverage of the northern offshore corridor via our presence in Esbjerg, Bergen, Aberdeen and Den Helder provide not only service, but also safety solutions based on the safety plan.

- Bergen, Norway
- Esbjerg, Denmark
- Aberdeen, UK
- Den Helder, The Netherlands
- Houston, TX, USA
- Singapore
- Rio de Janeiro, Brazil



# Servicing

**One point of contact for all your offshore safety equipment servicing needs**

## Evacuation systems

With over 200 evacuation systems installed worldwide, VIKING can support an extensive network of locally based servicing technicians, which means cost-effective and convenient service where and when you need it.

Read more about certification and re-certification on the next page.

## Liferafts

VIKING has decades of experience in servicing multi brand liferafts. Our unique global servicing network of trained, experienced staff carries out customer convenient liferaft servicing.

## Suits and lifejackets

Selected stations service immersion suits and lifejackets. Servicing and repairs are carried out with meticulous care and attention to detail. VIKING can also offer servicing packages and customised fleet solutions with optimal conditions.

## Boats and davits

VIKING's experienced personnel in our specialised Lifeboat Division carry out on site servicing and maintenance of lifeboats, davits, release hooks and other lifeboat related products in many locations.

Contact us for the closest certified station for servicing lifeboats and related products.

## Marine fire safety equipment

VIKING can service stationary and portable fire equipment from several bases. Contact your VIKING office or dealer for your nearest certified servicing station for marine fire equipment.

# Certified servicing makes a difference

**Evacuation systems and other safety equipment need regular maintenance to ensure proper functioning when needed.**

Specially trained service engineers in the VIKING network offer the highest level of service with exclusive use of quality parts and equipment.

Original VIKING certification and re-certification for servicing helps avoid potential costly problems with classification surveyors.

## Service agreements

VIKING Life-Saving Equipment offers service agreements for maintenance, re-certification of boarding platforms, liferafts etc. Choose a full service package or have VIKING tailor a solution to fit your needs.

## Certification and re-certification

Servicing of evacuation systems is regulated by IMO SOLAS 1974, as amended, Chapter III, Regulation 20.8, and IMO Resolution A.761(18).

Re-certification of system liferafts and boarding platforms must be carried out by certified personnel at a VIKING certified servicing station.

### Schedule of periodic maintenance

Equipment	Maintenance Operation	Special Precautions	Check freq	Post Maintenance Routine Test Procedure
Evacuation chute system	Visual inspection	No	Weekly	Visual inspection of evacuation chute and liferafts to ensure that they are ready for use.
Evacuation chute system	Inspection	No	Monthly	Inspection of evacuation chute and liferafts to ensure that they are complete and in good order.
Winch	Winch gearbox (Checking oil)	No	/ Monthly	
Liferafts and boarding platform	Service of liferafts	Yes *	1 Year	Check service date on container.
Evacuation chute system	System function test	Yes *	1 Year	Visual check for any damage to parts.
Evacuation chute system	Visual/Mechanical Inspection	Yes *	1 Year	Repair if necessary.
Winch	Change of winch wires	Yes *	4 Years / Customer's spec.	Visually inspect wire for damage. Check that it is properly wound on winch drum.
Winch	Winch service	Yes *	1 Year	Check winch functionality

\* Performed by VIKING certified station only



# Order Products at Your Convenience

**You can contact your VIKING office or your agent, dealer, or VIKING's headquarters in Denmark by sending a fax or email or by telephone. Addresses can be found on page 98 of this catalogue.**

#### **Internet**

[www.VIKINGsafetyshop.com](http://www.VIKINGsafetyshop.com) gives you 24 hour access to our online catalogue.

You can generate an enquiry through the Safetyshop that is sent directly to a sales department in the relevant country.

#### **Fax**

Alternatively you can use the fax enquiry form on page 97.

#### **Telephone**

Call VIKING Headquarters in Denmark at +45 7611 8100 or VIKING Offshore in Norway at +47 8150 0325.



**Contact information:**

Delivery address: \_\_\_\_\_ Company: \_\_\_\_\_  
 Contact: \_\_\_\_\_ Title: \_\_\_\_\_  
 Address: \_\_\_\_\_ City: \_\_\_\_\_  
 State: \_\_\_\_\_ Postcode: \_\_\_\_\_ Country: \_\_\_\_\_

**How would you like to be contacted by VIKING?**

E-mail: \_\_\_\_\_ Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_  Post

Questions or comments: \_\_\_\_\_

Item No.	Description	Catalogue page	Number

**Fax. +45 7611 8101 to VIKING Headquarters  
 or to your local VIKING office**



# VIKING global network

## Global headquarters

### VIKING LIFE-SAVING EQUIPMENT A/S

Saeding Ringvej 13  
6710 Esbjerg V  
Denmark

Tel: +45 76 11 81 00  
Fax: +45 76 11 81 01  
e-mail: viking@viking-life.com

## Americas

### VIKING LIFE-SAVING EQUIPMENT (America), Inc.

1400 NW 159St., Suite 101  
33169 Florida, Miami  
U.S.A.

Tel: +1 (305) 614-5800  
Fax: +1 (305) 614-5810  
e-mail: usasales@viking-life.com

## North East Europe

### VIKING LIFE-SAVING EQUIPMENT Estonia AS

Helgi tee 3,  
Peetri küla, Rae vald,  
75312 Harjumaa.  
Estonia

Tel: +372 606 93 93  
Fax: +372 606 93 99  
e-mail: viking-ee@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Oy, Finland

Pääskyläntie 13  
F-21420 Lieto  
Finland

Tel: +358-(0)2-489 500  
Fax: +358-(0)2 489 5011  
e-mail: viking-fi@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT A/S

Veddeler Damm 32 - 34  
D-20457 Hamburg  
Germany

Tel: +49-(0)40 670 10 25  
Fax: +49-(0)40 670 10 67  
e-mail: viking-d@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Iceland ehf.

VIKING Björgunarbúnaður  
Hvaleyjarbraut 27  
220 Hafnarfjörður  
Iceland

Tel: +354-544-2270  
Fax: +354-544-2271  
e-mail: viking-is@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Norway AS

Idrettsveien  
Straume Næringspark  
NO-5353 Straume (Bergen)  
Norway

Tel: +47-815-00-325  
Fax: +47-56-32 61 10  
e-mail: bergen@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Norway AS

Oluf Onsumsvei 11  
N-0680 Oslo  
Norway

Tel: +47-815-00-325  
Fax: +47-22-68 84 80  
e-mail: viking-n@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Russia

Promzona Gorelovo, Kvartal 2  
Volkhonskoe Shosse, Bldg. 2B, korp. 15  
Lomonosovskiy Rajon  
198323 Leningrad oblast,  
Russia

Tel: +7 812 493 59 24  
Fax: +7 812 493 59 22  
e-mail: viking-ru@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Sweden AB

Strömfallsvägen 53  
135 49 Tyresö, Stockholm  
Sweden

Tel: +46 (0)8 7700170  
Fax: +46 (0)8 7700183  
e-mail: viking-se@viking-life.com

## South West Europe

### VIKING LIFE-SAVING EQUIPMENT France S.a.r.l.

41, Rue Michel Ange  
91026 Evry Cedex  
France

Tel: +33 (0) 160 87 09 00  
Fax: +33 (0) 160 87 09 01  
e-mail: viking-f@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Ltd. Aberdeen

Unit 19, Ocean Trade Centre  
Minto Avenue, Altens  
AB12 3JZ, Aberdeen  
Great Britain

Tel: +44 (0) 1224 898969  
Fax: +44 (0) 1224 894565  
e-mail: vikingabz@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Ltd.

Gt Yarmouth  
South Denes Road  
Gt Yarmouth, Norfolk – NR30 3 PJ  
Great Britain

Tel: +44 (0) 1493 850250  
Fax: +44 (0) 1493 851222  
e-mail: vikingldn@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Ltd. Liverpool

Unit 31, Wellington Employment Park  
Dunes Way  
L5 9RJ Liverpool  
Great Britain

Tel: +44 (0) 151 207 3030  
Fax: +44 (0) 151 207 3807  
e-mail: vikingliv@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Ltd. Southampton

Hamble Court, Hamble Lane  
SO31 4QL Southampton, Hampshire  
Great Britain

Tel: +44 (0) 2380 454184  
Fax: +44 (0) 2380 454284  
e-mail: vikingsth@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Italia s.r.l.

Via Delle Pianazze, 170  
19136 – La Spezia  
Italy

Tel: +39 (0) 187-981322  
Fax: +39 0 187-982499  
e-mail: pedrotti@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT B.V.

P.O. Box 266  
3330 AG Zwijndrecht  
The Netherlands

Tel: +31 (0) 88 008 05 00  
Fax: +31 (0) 88 008 05 95  
e-mail: viking-nl@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Iberica S.A.

c/General Pardinias 112 bis,  
bajo B  
28006 Madrid  
Spain

Tel: +34-91-5624833  
Fax: +34-91-5613805  
e-mail: viking-e@viking-life.com

## Asia

### VIKING LIFE-SAVING EQUIPMENT China

Building 3, 1456 Xin Tanwa Highway  
Pudong District  
201321 Shanghai  
PR China

Tel: +86 21 6289 9922  
Fax: +86 21 5815 6010  
e-mail: viking-ch@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Hong Kong Ltd.

Unit 1, 2/F, Chuan Kei Factory Building  
15-23 Kin Hong Street, Kwai Chung, New Territories  
Hong Kong

Tel: +852 24297878/24252410  
Fax: +852 24236228  
e-mail: viking-hk@viking-life.com

### VIKING India c/o Whitby & Bird India Private Limited

601/602 Notan Chambers,  
6th Floor,  
893 Turner Road, Bandra (West),  
Mumbai: 400050  
Maharashtra,  
India

Fax: +91 22 2643 5688  
Mobile: +91 9930126233  
pkk@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT Pte LTD

14 Loyang Way 4  
Loyang Industrial Estate  
507601 Singapore

Tel: +65 6424 9200  
Fax: +65 6424 9210  
e-mail: viking-sg@viking-life.com

## Rest of World

### VIKING LIFE-SAVING EQUIPMENT Brazil LTDA

Praia de Botafogo 501 – 1st Floor  
CEP 22250-040 RJ  
Brazil

Tel: +5521 2586 6309  
Fax: +5521 2586 6001  
e-mail: viking-br@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT

ISTANBUL DENIZCILIK TICARET AS  
Aydinli mah.Tuzla Mermerciler OSB.  
Gazi Bulvari.4.Sokak.No 12  
TR 34953 Tuzla-Istanbul  
Turkey

Tel: +90 216 593 31 79  
Fax: +90 216 593 31 78  
e-mail: vikingistanbul@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT (SA)(Pty) Ltd

Cnr Neptune- & Carlisle Street  
Paarden Eiland 7405  
P.O. Box 257  
7420 Cape Town  
South Africa

Tel: +27 21 5075879 / 5075765  
Fax: +27 21 5075878  
e-mail: viking-sa@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT (SA) (Pty) Ltd

Units No.2 Seebrook Park  
210 Chamberlain Road  
4026 Jacobs, Durban  
South Africa

Tel: +27 31 4681261  
Fax: +27 31 4681251  
e-mail: vikingdbn@viking-life.com

### VIKING LIFE-SAVING EQUIPMENT (Middle East)

AL JADAF SHIPDOCKING YARD  
P.O.Box 13448  
Dubai  
UAE (United Arab Emirates)

Tel: +971-4-324 3555  
Fax: +971-4-324 3444  
e-mail: viking-uae@viking-life.com



Joint Qualification System

for suppliers to the Oil Industry in Norway and Denmark

# Certificate of Qualification

Awarded to

## VIKING LIFE-SAVING EQUIPMENT NORGE AS

Company Reg.no: 883783042

Achilles Id. 24905

Achilles Information Centre hereby confirms that VIKING LIFE-SAVING EQUIPMENT NORGE AS is qualified in the Achilles Joint Qualification System for suppliers to the Oil Industry in Norway and Denmark. The qualification concerns the product and service categories listed in the appendix.



*Oddvar Gjerdal*  
Oddvar Gjerdal  
Achilles Information Centre  
Managing Director

Issued Date:  
27-nov-2009

Expiry Date:  
19-Dec-2010

The participating Oil Companies and Main Contractors may use Achilles JQS as the basis for preparation of tender data directly or together with additional qualification criteria established by the individual Company. Other qualification stages may be added by the individual Company if more information is found necessary to complete the preparation of tender data.



DuPont™ VIKING är en DuPont™ NOMEX® Quality Partner, vilket innebär att vi ställer höga krav på alla våra produkter, som genomgår omfattande tester för en garanterat bra kvalitet.



W.L. Gore VIKING är en licensierad partner som är godkänd av W.L.Gore.



VIKING is a PBI® MATRIX licensed partner approved by PBI Performance Products, Inc.



**HAINSWORTH**  
QUALITY IN TEXTILES SINCE 1783

**HAINSWORTH**  
**TITAN**

Hainsworth® VIKING is a Hainsworth® Quality Partner which means all of our products are subject to tough requirements and undergo extensive testing to ensure the best quality. Hainsworth® and TITAN are trademarks of A.W. Hainsworth & Sons Ltd.



# Order your products online or call us at +47 81 50 03 25

SafetyShop is VIKING's online product catalogue. It gives you 24 hour access to detailed information about VIKING's total product range, and contains technical specifications, drawings, datasheets and certificates.

[www.VIKINGsafetyshop.com](http://www.VIKINGsafetyshop.com)

## VIKING LIFE-SAVING EQUIPMENT

**VIKING Offshore:** Idrettsvegen 110 · Straume Næringspark · NO-5353 Straume · (Bergen) Norway  
Tel: +47 81 50 03 25 · Fax: +47 56 32 61 10 · [www.VIKING-offshore.com](http://www.VIKING-offshore.com)

**VIKING (Headquarters):** Saedding Ringvej 13 · DK-6710 Esbjerg V · Denmark  
Tel +45 76 11 81 00 · Fax +45 76 11 81 01 · [www.VIKING-life.com](http://www.VIKING-life.com)